

ED 401 339

TM 026 154

TITLE National Household Education Survey, NHES: 91/93/95
Electronic Codebook (ECB) User's Guide.

INSTITUTION Westat, Inc., Rockville, MD.

SPONS AGENCY National Center for Education Statistics (ED),
Washington, DC.

REPORT NO NCES-96-890

PUB DATE Sep 96

NOTE 82p.

AVAILABLE FROM For single copies, call the National Education Data
Resource Center (703) 845-3151.

PUB TYPE Guides - Non-Classroom Use (055)

EDRS PRICE MF01/PC04 Plus Postage.

DESCRIPTORS *Coding; *Computer Software; *Data Analysis;
Elementary Secondary Education; Higher Education;
National Surveys; Optical Data Disks; Responses;
Telephone Surveys; *User Needs (Information)

IDENTIFIERS *National Household Education Survey; Statistical
Analysis System; Statistical Package for the Social
Sciences

ABSTRACT

The National Household Education Survey (NHES) CD-ROM for 1991, 1993, and 1995 contains an Electronic Codebook (ECB) program that allows the user to examine the variables in each of the NHES data sets easily and to create Statistical Analysis system and Statistical Package for the Social Sciences (for DOS or Windows) that will generate an extract data file from any of the complete NHES data files on the CD-ROM. The CD-ROM contains eight NHES data files (ASCII) and WordPerfect 5.1 files with complete documentation for each data file. The ECB program is designed for use with color or monochrome video displays with automatic video detection, and with IBM-compatible computers with an 80386 or higher processor. With the ECB and instructions in this guide, the user can search the names and levels of NHES variables, examine the question wording, response categories, and frequencies of responses for the variables of interest, create a list of variables to extract, and write programs to extract selected variables. This guide discusses working with ECB menus and windows, and extracting data. Seven appendixes provide additional details about the methodology of the surveys and the program options. (Contains 20 figures and 7 appendix tables.) (SLD)

* Reproductions supplied by EDRS are the best that can be made *

* from the original document. *

NATIONAL CENTER FOR EDUCATION STATISTICS


ECB User's Guide

September 1996

ED 401 339

National Household Education Survey

NHES:91/93/95 Electronic CodeBook (ECB) User's Guide



U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

- ☒ This document has been reproduced as received from the person or organization originating it.
- ☐ Minor changes have been made to improve reproduction quality.

- Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

U.S. Department of Education
Office of Educational Research and Improvement

NCES 96-890


NATIONAL CENTER FOR EDUCATION STATISTICS

ECB User's Guide

September 1996

National Household Education Survey

NHES:91/93/95 Electronic CodeBook (ECB) User's Guide



Mary A. Collins, Project Director
Westat, Inc.

Kathryn Chandler, NHES Project Officer
National Center for Education Statistics

**U.S. Department of Education
Office of Educational Research and Improvement**

NCES 96-890

U.S. Department of Education

Richard W. Riley

*Secretary***Office of Educational Research and Improvement**

Sharon P. Robinson

*Assistant Secretary***National Center for Education Statistics**

Pascal D. Forgione, Jr.

Commissioner

The National Center for Education Statistics (NCES) is the primary federal entity for collecting, analyzing, and reporting data related to education in the United States and other nations. It fulfills a congressional mandate to collect, collate, analyze, and report full and complete statistics on the condition of education in the United States; conduct and publish reports and specialized analyses of the meaning and significance of such statistics; assist state and local education agencies in improving their statistical systems; and review and report on education activities in foreign countries.

NCES activities are designed to address high priority education data needs; provide consistent, reliable, complete, and accurate indicators of education status and trends; and report timely, useful, and high quality data to the U.S. Department of Education, the Congress, the states, other education policymakers, practitioners, data users, and the general public.

We strive to make our products available in a variety of formats and in language that is appropriate to a variety of audiences. You, as our customer, are the best judge of our success in communicating information effectively. If you have any comments or suggestions about this or any other NCES product or report, we would like to hear from you. Please direct your comments to:

National Center for Education Statistics
Office of Educational Research and Improvement
U.S. Department of Education
555 New Jersey Avenue NW
Washington, DC 20208-5574

September 1996

Suggested Citation

U.S. Department of Education. National Center for Education Statistics. *National Household Education Survey, NHES:91/93/95 Electronic CodeBook (ECB) User's Guide*, NCES 96-890, by Mary A. Collins and Kathryn Chandler. Washington, DC: 1996.

Contact:

Kathryn Chandler
(202) 219-1767

For single copies, call:

National Education Data Resource Center
(703) 845-3151

Acknowledgments

This Electronic CodeBook (ECB) was developed by Westat, Inc., for the 1991, 1993, and 1995 National Household Education Surveys (NHES). Westat conducted the surveys under contract with the National Center for Education Statistics, Office of Educational Research Improvement, of the U.S. Department of Education. At the Department of Education, Kathryn Chandler serves as Project Officer for the NHES.

The Electronic CodeBook was developed by Jeffrey Stunkard of Westat, who made enhancements to the previous work of Paul Close and Jae Jung. They were supported in their efforts by Mary Collins, Westat's Project Director for NHES, Peter Ha, and Elizabeth Davies of Westat.

NHES Mailing List

If you would like to receive announcements of future NHES reports, data sets, or other materials, please send your name, institutional affiliation, address, telephone and fax numbers, and electronic mail address to:

Kathryn Chandler
National Center for Education Statistics
555 New Jersey Avenue, Room 417C
Washington, DC 20208
Kathryn_Chandler@ed.gov

It would also be helpful if you would indicate your areas of research interest and the data sets you are using or plan to use.

Table of Contents

Section	Page
Contents of the NHES:91/93/95 CD-ROM	1
Hardware/Software Needs	1
What You Can Do with the NHES:91/93/95 ECB	2
Features of the NHES:91/93/95 ECB	2
Installing the NHES:91/93/95 ECB	3
Using the NHES:91/93/95 ECB Program	4
Starting the NHES:91/93/95 ECB Program	4
The ECB Menu Bar	4
The ECB Status Bar	5
Working with Menus	6
To Select a Menu	6
To Cancel a Menu Selection	6
Menu Conventions and What They Mean	6
Working with ECB Windows	7
Resize/Move <Ctrl> <F5>	7
Resize	7
Move	8
Zoom <F5>	8
Tile	8
Cascade	9
Next <F6>	9
Close <Alt> <F3>	9
Getting Help	9
Cross-References	10
Help Menu	10
The Variable List Window	10
Scrolling the Variable List Window	10
Viewing CodeBook Information for a Variable	11
Tagging Variables for Extraction	11
Deleting Variables from the Variable List Window	12
Focusing the Variable List	12

Table of Contents--Continued

Section	Page
The Tagged Variables Window	13
Scrolling the Tagged Variables Window	13
Viewing CodeBook Information for a Variable	13
Deleting (Untagging) Variables from the Tagged Variables Window	14
Using Predefined TagLists	14
Printing and Saving TagLists	15
Available Workspace	16
Extracting Data	17
Defining the Extract Population	17
Writing the Extract Program File	23
Reviewing the Extract Specifications	23
Switching Catalogs	24
Quitting the NHES:91/93/95 ECB	24
Appendix A: Survey Methodology Documentation	25
Appendix B: Directory Listing of the NHES:91/93/95 CD-ROM	27
Appendix C: Predefined Taglists	29
Appendix D: Menu Descriptions	35
Appendix E: Quick Start--Sample ECB Session	39
Appendix F: SAS and SPSS Extract Program Examples	43
Example 1. SAS Program Example	43
Example 2. SPSS for DOS Program Example	52
Example 3. SPSS for Windows Program Example	64
Appendix G: Configuring the ECB Directories	77

Contents of the NHES:91/93/95 CD-ROM

The NHES:91/93/95 CD-ROM contains an Electronic CodeBook (ECB) program that, after installed on your own personal computer, allows you to easily examine the variables in each of the NHES data sets as well as create SAS, SPSS for DOS, or SPSS for Windows programs that will generate an extract data file from any of the complete NHES data files on the CD-ROM. The following flat (ASCII) NHES data files are contained on the CD-ROM:

- 1991 Adult Education, Adult file;
- 1991 Adult Education, Course file;
- 1991 Preprimary file;
- 1991 Primary file;
- 1993 School Readiness file;
- 1993 School Safety and Discipline file;
- 1995 Adult Education file; and
- 1995 Early Childhood Program Participation file.

In addition, the NHES:91/93/95 CD-ROM also contains WordPerfect 5.1 files with complete documentation for each data file. Properly formatted copies of the documentation can be printed using WordPerfect 5.1 and a HP LaserJet III or similar printer. Instructions on how to access these documents can be found in appendix A. Appendix B contains a full directory listing of the CD-ROM which describes each file and the contents of each directory.

The CD-ROM also contains programs (in ASCII format) for each NHES data file that will create SPSS for Windows system files containing all variables (with all assigned variable and value labels). These programs have been made available for Macintosh users to copy and edit to suit their needs. However, users of other systems may also find them helpful. The MACPROGS directory on the CD-ROM contains these programs as well as a "README" file that users of these programs should review.

Hardware/Software Needs

The Electronic CodeBook (ECB) program is designed to be used with computer monitors having either color or monochrome video displays with automatic video detection. It is designed for use on IBM-compatible PCs running MS/DOS 3.3 and above. The ECB has been tested on IBM-compatible PCs based on the Intel 80286, 80386, i486, and pentium processors. An 80386 or higher processor is recommended. *Note that the ECB is not designed to run as a Windows-based application. Users who attempt to use the ECB in a Windows environment will likely experience problems with the ECB software.* That is, when either Windows 3.1 or Windows 95 is currently operating, the ECB program will not function properly in a DOS shell. This is primarily because the active Windows desktop consumes conventional memory which is also needed to run the NHES ECB.

The NHES ECB program requires 30 MB (megabytes or million bytes) of available disk space on your C: drive. If 30 MB are not available, you will need to delete files on your C: drive to make room for the ECB program.

As suggested above, SAS, SPSS for DOS, or SPSS for Windows software is needed in order to run the programs generated by the ECB that extract data from the CD-ROM. It may also be useful to have ASCII editing software to edit the programs, although SAS and SPSS allow for editing. Word processing software capable of reading WordPerfect 5.1 files is also needed to print properly formatted copies of the data file documentation.

What You Can Do with the NHES:91/93/95 ECB

- Search the names and labels of variables in the NHES:91, NHES:93, and NHES:95 databases (called catalogs) to select variables for analysis (see section on the Variable List Window, page 10).
- Examine the question wording, response categories, and frequencies of responses for variables you choose (see Viewing CodeBook Information for a Variable, page 11).
- Create a list of variables you want extracted from the catalog, save your list for later use, print your list, or use a predefined list (see the Tagged Variables Window, page 13).
- Write a SAS, SPSS for DOS, or SPSS for Windows program to extract selected variables from the whole data set or for a subset of the cases you define (see Extracting Data, page 17).

NOTE: The NHES:91/93/95 ECB does not create a SAS, SPSS for DOS, or SPSS for Windows data file. It will prepare the statements that you can use with your own SAS, SPSS for DOS, or SPSS for Windows software to create your file. As noted above, the NHES:91/93/95 ECB CD-ROM contains the data files from each of the NHES:91, NHES:93, and NHES:95 databases, or catalogs.

Features of the NHES:91/93/95 ECB

- A menu-driven system that can be used with a mouse or with key stroke commands (see Working with Menus, page 6 and appendix D).
- Variable List and Tagged Variable Windows that open automatically when a catalog is selected (see figure 1, page 5).
- The ability to open and view multiple windows and commands to manage and organize the windows (see Working with ECB Windows, page 7).
- Scroll functions for windows that allow you to get information from the catalog easily (see Scrolling the Variable List Window, page 10).
- Predefined TagLists that contain groups of related variables that are frequently used together (see the Tagged Variables Window, page 13, and appendix C).
- Help screens for the window or menu command that is currently active (see Getting Help, page 9).

Installing the NHES:91/93/95 ECB

Follow the steps listed below to install the NHES:91/93/95 ECB. *If you have already installed the previously released NHES:91 ECB or NHES:91/93 ECB, it is recommended that you delete it from your hard drive before installing this edition (see step 1 below). The NHES:91/93/95 ECB contains all of the previously released data and has been enhanced for more efficient analysis.*

1. If you have installed a previously released NHES ECB, it is recommended that you delete all files under the C:\ECB directory. If you have any files you would like to keep, such as taglists or analysis programs, save them in another location (e.g., in another directory or on a floppy disk). If you do not delete the files from a previously installed NHES ECB, the install program for the NHES:91/93/95 ECB will prompt you for verification before overwriting each ECB-related file with those from the new NHES:91/93/95 ECB. This can be a rather lengthy process, since there are many ECB-related files.
2. Check to make sure there are at least 30 megabytes of storage space available on the C:\ drive. (If there is insufficient space, the ECB installation program will notify you with a message.)
3. Place the NHES:91/93/95 compact disc in the CD-ROM drive.
4. Change to the CD-ROM drive:
D: (or the drive letter for your compact disc reader)
5. Type:
INSTALL
and press the <Enter> key.

The ECB installation program creates a C:\ECB directory to house the ECB program. You will be asked to confirm the creation of the C:\ECB directory to hold the program files and to confirm the actual installation. You confirm by pressing any key.

The installation program temporarily installs two executable programs on your hard disk. These files, GETPCID.EXE and NHESECB3.EXE, are also on the CD-ROM. GETPCID.EXE identifies the type of PC you are using and makes sure that there is enough space on the hard disk to hold the ECB program and associated files. NHESECB3.EXE is the zipped (compressed) program that "explodes" the ECB program and associated files during installation. The installation program will delete these two files from your hard disk when installation is complete.

Using the NHES:91/93/95 ECB Program

Starting the NHES:91/93/95 ECB Program

Follow these directions to start the NHES:91/93/95 ECB program:

1. Open your C: drive:
C:
2. Change to the C:\ECB directory:
CD\ECB
3. Type:
ECB
and press the **<Enter>** key.
4. The opening display shows the program name and version number. Press **<Enter>** or click the mouse on the **"OK"** button.
5. The next display is a Catalog Selection dialog box¹. The catalog choices are 91:Adult; 91:Adult - Courses; 91:Child - Primary; 91:Child - Pre-Primary; 93:School Readiness; 93:School Safety and Discipline (Youth); 93:School Safety and Discipline (Parent); 93:School Safety and Discipline (Combined); 95:Adult Education; and 95:Early Childhood Program Participation (ECP). Select a Catalog by using the arrow keys to highlight your choice and pressing **<Enter>**. With a mouse, you can simply click on your choice and then click on the **"OK"** button.

The Select Catalog dialog box disappears. After a few moments, two windows are displayed on the screen, one labeled "Variable List" and the other labeled "Tagged Variables." Also displayed on the screen are the ECB Menu Bar and the ECB Status Bar.

Figure 1 shows the Variable List and the Tagged Variables Windows that appear when the 1991 Adult Catalog is selected. The comparable windows for the other catalogs are very similar.

The ECB Menu Bar

The menu bar is the top row of the screen (see figure 1). Menu bar commands are accessed by pressing the menu key, **<F10>**, to make the menu bar active, and then using the arrow keys to highlight the menu command. Press **<Enter>** to run the command.

Menu commands can also be accessed by pressing and holding down the **<Alt>** key while pressing the highlighted character for a given menu choice. For example, the Utility menu is activated by pressing **<Alt>** and **<U>** simultaneously. The menu bar is also easily accessed by clicking with a mouse. Appendix D shows the choices and functions available within each menu of the ECB.

¹A dialog box is a window that asks for information from the user about how to proceed. Examples are the selection of a particular catalog (database) or the selection of specific cases for the extract file.

Figure 1.--Variable list and tagged variables windows

Utilities TagList Show Varlist Extract Windows Help Quit				15:41:06	--MENU
VARIABLE LIST				[↑]	BAR
TEMP	NAME	TAG	LABEL		
1	PERSID	✓	PERS KEY = BASEID 2-DIGIT PERSNUM		
2	AGE	✓	AGE AS OF JANUARY 1,1991		
3	LIVENOW		S15 WHERE DOES PERSON LIVE NOW		
4	NUMPERS		S17 TOTAL NUMBER OF PEOPLE LIVING IN HH		
5	HOMETYPE		S19 TYPE OF HOME		
6	OWNHOME		S20 OWN HOME		
7	INCOMRNG		S22A TOTAL HOUSEHOLD INCOME - RANGE		
8	FTANY		A1INTRO ENROLLED AS FT STUDENT PAST 12		
TAGGED VARIABLES					
TAGGED	NAME	TAG	LABEL		
1	PERSID	✓	PERS KEY = BASEID 2-DIGIT PERSNUM		
2	AGE	✓	AGE AS OF JANUARY 1,1991		
3	RACEVER	✓	A42A RACE VERIFICATION		
4	HISPVER	✓	A42A1 RESPONDENT OF HISPANIC ORIGIN		
5	SEXVER	✓	A42B S10E GENDER VERIFICATION		
6	AEPARANY	✓	D-ADULT EDUC INCLUDING F/T DEGREE PROG		
7	AEWT	✓	FINAL ADULT WEIGHT		
F1:Help Tag UnTag Del:Delete ^TagAll ^UntagAll Enter:CodeBook F10:Menu				--STATUS	
NHES:91 Catalog: Adult MemAvail: 43808				BAR	

After selecting a Catalog, the menu bar commands are available to you at all times, except when you are answering a dialog box (for example, defining a search, changing the system configuration, or creating an extract file) or when the commands are not relevant (such as the command to size a window if no windows are currently displayed). When commands are not available, they will appear in dimmed print.

The ECB Status Bar

The Status Bar is the bottom two lines of the screen (see figure 1). The first line shows some shortcut keys that are useful in the current mode. For example, one shortcut key may be <F1> to view a context-sensitive Help screen. Keyboard users can press the <F1> key to see the Help screen. Mouse users can click on the shortcut key to activate the command.

The last line on the screen shows the study name and survey year of the catalog selected (NHES:91), the current catalog name (e.g., Adult) and the amount of DOS memory (characters) left as available workspace (MemAvail). Available workspace is discussed further on page 16.

Working with Menus

The NHES:91/93/95 ECB commands are listed on *menus*. After selecting a menu, the user chooses a command from that menu. Choosing the command carries out the action.

To Select a Menu

Mouse > Point to the name of the menu on the menu bar and click the name to open the menu. (You can drag the selection cursor down the menu if you want to move to a menu item immediately.)

Keyboard > 1. Press <F10> to select the menu bar.
2. Press **LEFT ARROW** or **RIGHT ARROW** to select the menu you want. (Using the **DIRECTION** keys also selects the box for the active document window.)
3. Press <Enter> to open the selected window.

HINT. If the menu names have highlighted letters, you can move to the menu bar, select a menu, and open it with one step. Press <Alt>, and then press the letter. For example, to open the TagList menu, press <Alt> <T>. If more than one menu has the same highlighted letter, the ECB selects the first name listed. Press <Alt> <letter> again to select the next menu.

To Cancel a Menu Selection

- Click the menu name a second time or click anywhere outside the menu, or
- Press <Esc> to cancel the menu and move back to the windows.

Menu Conventions and What They Mean

Dimmed command name. If a command cannot be selected at this time, it will appear dimmed on the screen. Use of this command may be contingent upon first activating another command, or the command may not be activated with your particular application.

A key combination after the name. A key combination (e.g., <Ctrl> <F5>) is a *shortcut* for selecting this command without first opening the menu.

Working with ECB Windows

The Window menu contains commands to close, move, and perform other window-management commands. The active window, which responds to the commands of the user, is represented by a double line border. In figure 2, for example, the Tagged Variables window is the active window.

Most of the windows in this program have standard window elements, including scroll bars, a close box, and zoom icons. The following window menu commands are available to users of the ECB.

{Resize/Move}	{Zoom}
{Tile}	{Cascade}
{Next}	{Close}

Each of these commands are described below.

Figure 2.--Elements of an active window

Utilities TagList Show Varlist Extract Windows Help Quit 15:40:01

TEMP	NAME	TAG	LABEL
1	PERSID	✓	PERS KEY = BASEID 2-DIGIT PERSNUM
2	AGE	✓	AGE AS OF JANUARY 1,1991
3	LIVENOW		S15 WHERE DOES PERSON LIVE NOW
4	NUMPERS		S17 TOTAL NUMBER OF PEOPLE LIVING IN HH
5	HOMETYPE		S19 TYPE OF HOME
6	OWNHOME		S20 OWN HOME
7	INCOMRNG		S22A TOTAL HOUSEHOLD INCOME - RANGE
8	FTANY		A1INTRO ENROLLED AS FT STUDENT PAST 12

CLOSE BOX [.] TAGGED VARIABLES [↑] -TITLE BAR

TAGGED	NAME	TAG	LABEL
1	PERSID	✓	PERS KEY = BASEID 2-DIGIT PERSNUM
2	AGE	✓	AGE AS OF JANUARY 1,1991
3	CURENROL	✓	A1B CURRENTLY ENROLLED AS FULL-TIME STND
4	RACEVER	✓	A42A RACE VERIFICATION
5	HISPVER	✓	A42A1 RESPONDENT OF HISPANIC ORIGIN
6	SEXVER	✓	A42B S10E GENDER VERIFICATION
7	EVERMARI	✓	A43 EVER MARRIED
8	MARISTAT	✓	A44 CURRENTLY MARRIED

[-] -SCROLL BAR [-] -RESIZE CORNER

F1:Help Del:Delete Enter:CodeBook F10:Menu
NHES:91 Catalog: Adult MemAvail: 45488

Resize/Move <Ctrl> <F5>

Choose this command to change the size or position of the active window.

Resize

Pressing <Shift> while using the arrow keys will change the size of the active window. Once you've adjusted its size, press <Enter>.

The Variable List and Tagged Variables List windows each have a Resize corner, where the bottom right corner has a single-line border instead of a double-line border. With the Resize corner, you can adjust the window size by pressing and holding down the left or right mouse button on the corner while moving the mouse. A Resize corner is shown in figure 2.

Move

Choosing Window Resize/Move also allows the user to move the active window using the arrow keys. Once you've moved the window to where you want it, press **<Enter>**.

You can also move a window by dragging its title bar with the mouse (this cannot be done within the Resize option, however). The title bar is shown in figure 2.


Zoom <F5>

Choose Window Zoom to expand the active window to the maximum size. If a window is already zoomed, choosing Window Zoom will restore it to its previous size.

Using a mouse, you can also double-click anywhere on the window's title bar (except where an icon appears) to zoom or unzoom the window.

Tile


Choose Window Tile to view all currently opened windows. For example, if four windows have been opened (and not yet closed), the Tile command will enable the user to see all four windows at the same time. See below.



Tiled Windows

Cascade

Choose Window Cascade to stack all opened windows on the desktop. See below for an illustration of cascading four windows. Choose Window Tile to "unstack" the opened windows.



Cascaded Windows

Next <F6>

Choose Window Next to cycle through and view the opened windows. Mouse users can also click anywhere inside a window to make it the active window.

Close <Alt> <F3>

Choose Window Close to close the active window. You can also click the Close box (a small rectangle in the upper left corner of the Window border) to close a window. See figure 2 (page 7) for a Close box. After you have closed a window, you may wish to reopen it. The Show command <Alt> <S> on the Menu Bar gives you the option of opening the Variable List or the Tagged Variable list.


Getting Help

Context-sensitive help is always available in the ECB. Simply press the <F1> key and a window pops up on the screen describing the current activity. For example, figure 3 (page 10) shows the screen you would see if you were browsing a Variable List Window and pressed <F1> to bring up context-sensitive Help.

Special Help screens are available for different types of windows, dialog boxes, and menu choices. Help text windows can be scrolled, moved, and resized like any other window. Unlike other windows, Help windows are "modal." This means that you will not be able to do anything else (select another window, use the menu, etc.) until you close the Help window.

Help windows can be closed by pressing the <Esc> key or clicking on the close box.

Figure 3.--A context-sensitive help screen



Cross-References

Often, certain words or phrases in the help text are highlighted. These are cross-references. When a cross-reference is highlighted, pressing **<Enter>** will bring up the Help text for the highlighted item. For Help windows that have several cross-references, the **<Tab>** key allows the user to move the highlight to another cross-reference. Mouse users can double-click on a cross-reference to activate it.

Help Menu

A listing of help topics is available by selecting Index from within the Help menu. The **<Tab>** key allows the user to move the highlight to another topic. Mouse users may click on a topic to highlight it.

The Variable List Window

The Variable List Window is a picklist of variables for the current catalog. Each catalog has a single Variable List Window. The Variable List Window starts out showing ALL variables in a given catalog. The Variable List is the active window in figure 1 (page 5).

Scrolling the Variable List Window

You can scroll the variable list using the arrow keys to scroll one line at a time. **<PgUp>** and **<PgDn>** scroll the list one screen at a time. **<Ctrl> <PgUp>** and **<Ctrl> <PgDn>** will

move to the first and last variable in the list, respectively. Mouse users can scroll the list with the same keys or click on the scroll bar on the right border of the window. The scroll bars are shown in figure 2 (page 7).

Viewing CodeBook Information for a Variable

To view CodeBook information for a variable, scroll the variable list until the selected variable is highlighted. Then, press <Enter>. Mouse users can double-click on the variable. Figure 4 shows a CodeBook Information Window that displays information for a specific variable from the 1991 Adult Catalog. The information displayed includes the following: the variable name and label; the question wording associated with the variable; the location and format of the variable on the data file; each value and its label; frequencies, unweighted percentage distributions and weighted percentage distributions.

Figure 4.--Codebook information window

Utilities TagList Show Varlist Extract Windows Help Quit				15:43:53
VARIABLE LIST				
TEMP	NAME	TAG	LABEL	
C:\ECB\WORK\HOMETYPE.CBK				
[.]				
HOMETYPE = S19 TYPE OF HOME				

S19. What kind of home do you live in?				

RECORD: 1				
POSITION: 16-17				
FORMAT: N2				

RESPONSE	CODE	FREQ	PERCENT	WEIGHTED PERCENT
=====	=====	=====	=====	=====
SINGLE FAMILY HOUSE OR TOWNHOUSE.....	1	9810	78.1%	75.4%
APARTMENT.....	2	2040	16.2%	16.8%
SOME OTHER TYPE OF HOME.....	3	682	5.4%	7.8%
REFUSED.....	-7	27	0.2%	0.0%
DK.....	-8	6	0.0%	0.0%
NOT ASCERTAINED.....	-9	3	0.0%	0.0%
TOTALS:		12568	100.0%	100.0%

F1:Help	Alt-F3:CloseWindow	F10:Menu	Alt-X:Exit	
NHES:91	Catalog: Adult		MemAvail:	34176

Tagging Variables for Extraction

While browsing the Variable List Window, a variable can be tagged for extraction by pressing "T" or "t" or by pressing the spacebar while the variable is highlighted. A small check mark will appear in the **Tag** column. At the same time, the variable will be added to the Tagged Variables Window. In both figure 1 (page 5) and figure 2 (page 7), tagged variables can be seen. Pressing "U" or "u" or the spacebar will untag the variable. The check mark will disappear and the variable will disappear from the Tagged Variables Window. Pressing the spacebar will toggle the tag (off if on, on if off). Variables can only be tagged or untagged one at a time; a group of variables cannot be highlighted for tagging or untagging. However, <Ctrl> <T> will tag ALL variables in the Variable List Window for extraction and <Ctrl> <U> will untag ALL variables in the window. Please note however, that because the total number of variables in each of the NHES:95 ECPP and AE catalogs is quite large, if *all* variables in these catalogs are tagged, it will not be possible to write out an extract program that includes all the variables (please also see the section, Extracting Data, on page 17). Mouse users can click with the left or right mouse button to toggle the tag for a single variable. Mouse users can also click on **Tag** or **Untag** on the status bar to tag and untag variables.

Deleting Variables from the Variable List Window

The currently highlighted variable can be deleted from the Variable List Window by pressing the key. This has *no effect* on whether the variable is currently tagged for extraction.

Focusing the Variable List

The Varlist functions on the Menu Bar operate on the Variable List Window. Choosing the Narrow option under the Varlist menu will cause the Variable List to shrink so that it includes only variables whose name or label contains the keyword you enter.

Choosing the Expand option under the Varlist menu will cause the Variable List to grow so that it includes all the original variables, *plus* any variables for the catalog whose name or label contains the keyword you enter. Note that the initial Variable List Window contains *all* variables for a given catalog, so selecting the Expand option is never necessary unless the original variable list has been modified. Figures 5 and 6 (page 13) show the dialog boxes that pop up to allow you to enter a keyword for the search. Simply type in a short phrase and press <Enter>. You can enter a key word that will expand the Variable List or narrow it.

The Reset option under the Varlist menu creates a Variable List Window showing *all* variables for the catalog. This list is identical to the Variable List Window that appears when the catalog is first opened.

Focusing a Variable List Window has *no effect* on the list of variables that are tagged for extraction.

Figure 5.--Varlist/narrow window

The screenshot shows a software interface with a menu bar at the top: Utilities, TagList, Show, Varlist, Extract, Windows, Help, Quit. The time 15:54:24 is displayed in the top right corner. The main window is titled 'VARIABLE LIST' and contains two tables. The top table has columns: TEMP, NAME, TAG, and LABEL. The bottom table has columns: TAGGED, NAME, TAG, and LABEL. A dialog box titled 'Narrow Variable List' is open in the center, with the text 'Find variables with: Keyword: in variable NAME or LABEL.' and 'OK' and 'Cancel' buttons. The dialog box also has a small input field for a keyword.

TEMP	NAME	TAG	LABEL
2	AGE	✓	AGE AS OF JANUARY 1,1991
3	LIVENOW		S15 WHERE DOES PERSON LIVE NOW
4	NUMPERS		S17 TOTAL NUMBER OF PEOPLE LIVING IN HH
5	HOMETYPE		
6	OWNHOME		
7	INCOMRNG		
8	FTANY		
9	FTSCHOOL		

TAGGED	NAME	TAG	LABEL
1	PERSID		T PERSNUM
2	AGE		ULL-TIME STND
3	CURENROL		
4	RACEVER		
5	HISPVER	✓	A42A1 RESPONDENT OF HISPANIC ORIGIN
6	SEXVER	✓	A42B S10E GENDER VERIFICATION
7	EVERMARI	✓	A43 EVER MARRIED
8	MARISTAT	✓	A44 CURRENTLY MARRIED

F1:Help Alt-F3:CloseWindow F10:Menu Alt-X:Exit
NHES:91 Catalog: Adult MemAvail: 40608

Figure 6.--Varlist/expand window

Utilities TagList Show Varlist Extract Windows Help Quit 15:53:50

[*] VARIABLE LIST [↑]

TEMP	NAME	TAG	LABEL
2	AGE	✓	AGE AS OF JANUARY 1,1991
3	LIVENOW		S15 WHERE DOES PERSON LIVE NOW
4	NUMPERS		S17 TOTAL NUMBER OF PEOPLE LIVING IN HH
5	HOMETYPE		
6	OWNHOME		
7	INCOMRNG		
8	FTANY		
9	FTSCHOOL		

[*]= Expand Variable List

Find variables with:

Keyword:

in variable NAME or LABEL.

OK Cancel

TAGGED	NAME	TAG	LABEL
1	PERSID		
2	AGE		
3	CURENROL		
4	RACEVER		
5	HISPVER	✓	A42A1 RESPONDENT OF HISPANIC ORIGIN
6	SEXVER	✓	A42B S10E GENDER VERIFICATION
7	EVERMARI	✓	A43 EVER MARRIED
8	MARISTAT	✓	A44 CURRENTLY MARRIED

F1:Help Alt-F3:CloseWindow F10:Menu Alt-X:Exit MemAvail: 40688

NHES:91 Catalog: Adult

The Tagged Variables Window

The Tagged Variables Window displays a list of variables that are currently selected (tagged) for extraction. Each catalog has a single Tagged Variables Window. The initial Tagged Variables Window consists of a set of variables required for most analyses (the REQFLDS predefined TagList). Users may alter the Tagged Variables Window according to their analytic needs. See figure 1 for an example of a Tagged Variables Window.

Altering the TagList has *no effect* on the list of variables in the Variable List Window. However, if a variable is present in the Variable List Window and is then added to the Tagged Variables Window, a check mark will appear next to that variable in the Variable List Window.

Scrolling the Tagged Variables Window

Scrolling the Tagged Variables Window is exactly like scrolling the Variable List Window. You may scroll the Tagged Variables Window using the arrow keys, <PgUp>, <PgDn>, <Ctrl> <PgUp>, and <Ctrl> <PgDn>. Mouse users can scroll the list with the same keys, or click on the scroll bar on the right border of the window.

Viewing CodeBook Information for a Variable

The user can view the CodeBook information for variables in the Tagged Variables Window in the same manner as the Variable List Window. To view CodeBook information for a variable, scroll the Tagged Variables Window until the variable you want to review is highlighted. Then press the

Each catalog contains a TagList of "required fields" or variables that must be included for analysis (REQFLDS.DB). These variables, among which are the case identification number, the final sample weight, and a few others, will be automatically included in extracts. Even if the user accidentally "untags" a required field so that the variable appears untagged on the screen, these variables will automatically be written into the extraction code.

Choosing the Replace function in the TagList menu will cause the current entries in the Tagged Variables Window to be replaced by the list of variables in the predefined TagList that you select. All previously tagged variables will be removed from the Tagged Variables Window. However, as stated above, while the required fields will not be visible in the Tagged Variables Window, they will be automatically extracted.

Figure 8 shows the dialog box that pops up to allow you to select a TagList to replace the current TagList. Use the arrow keys to highlight a selected TagList or click on the TagList name and press <Enter> to start the replacement.

Figure 8.--Replace taglist window

Utilities TagList Show Varlist Extract Windows Help Quit 15:56:57

VARIABLE LIST

Replace TagList

Name
*.DB

Files
HOUSEHC.DB
LABORC.DB
PARTICC.DB
PERSONC.DB
PREVENTC.DB
REQFLDS.DB
WEIGHTC.DB

C:\ECB\TAGLISTS\91ADULT*.DB

HOUSEHC.DB 3072 May 04.1994 03:28p

OK

Cancel

TEMP
2 AG
3 LI
4 NU
5 HO
6 OW
7 IN
8 FT
9 FT

TAGGED
1 PE
2 AG
3 CU
4 RA
5 HI
6 SE
7 EV
8 MARISTAT | ✓ | A44 CURRENTLY MARRIED

F1:Help Alt-F3:CloseWindow F10:Menu Alt-X:Exit NHES:91 Catalog: Adult MemAvail: 37296

Printing and Saving TagLists

Selecting the Print option in the TagList menu allows you to print the current TagList to your default printer (see figure 9, page 16).

Figure 9.--Text file of current taglist as printed by default printer

Current TagList

Name	LABEL
PERSID	PERS KEY = BASEID 2-DIGIT PERSNUM
AGE	AGE AS OF JANUARY 1,1991
CURENROL	A1B CURRENTLY ENROLLED AS FULL-TIME STND
RACEVER	A42A RACE VERIFICATION
HISPVER	A42A1 RESPONDENT OF HISPANIC ORIGIN
SEXVER	A42B S10E GENDER VERIFICATION
EVERMARI	A43 EVER MARRIED
MARISTAT	A44 CURRENTLY MARRIED
HIGHGRAD	A59 HIGHEST GRADE COMPLETED
HSDIPLMA	A60 RECEIVE HIGH SCHOOL DIPLOMA OR EQUIV
MAINACTY	A61 MAIN ACTIVITY IN PAST 12 MONTHS
MILFLG	MILITARY FLAG
SIC	INDUSTRY CODE
SOC	OCCUPATION CODE
AELABOR	D-LABOR FORCE STATUS
AEPARANY	D-ADULT EDUC INCLUDING F/T DEGREE PROG
RACEETHN	D-RACE-ETHNICITY
SALARY	D-ANNUAL SALARY/CURRENT OR MOST RCNT JOB
SCHOOLNG	D-YEARS OF SCHOOL COMPLETED
AEWT	FINAL ADULT WEIGHT


To save the current Tagged Variables Window as a TagList, select the Save option in the TagList menu. Figure 10 (page 17) shows the dialog box that allows you to enter a name for your TagList. Type in a name of up to eight characters for your TagList and press <Enter> to save it with that name. The extension .DB is automatically added to the TagList.

WARNING: If you enter a name that already exists, the old TagList will be replaced by your new TagList without warning. Only duplicate an existing name if you wish to replace the old TagList with your new TagList.

Available Workspace

As you work in the ECB, scrolling through the variables in the windows and tagging variables, the amount of DOS memory (characters) left as workspace will decrease. As mentioned above, the amount of workspace available is indicated at the bottom of the screen (MemAvail). It is recommended that you monitor the amount of workspace remaining as you are working. If the available workspace is depleted, a message will appear indicating that there is insufficient memory to continue and you must exit the ECB program without being able to save your work. Therefore, it is recommended that you periodically save your TagList as you are working, plus keep an eye on the amount of available workspace, particularly if you are tagging a large number of variables. When the workspace approaches 10,000, it is recommended that you do the following to increase the amount of workspace available: save your TagList, exit the ECB, restart the ECB, add the TagList you saved, and proceed with tagging any additional variables.

Figure 10. Save TagList Window



Extracting Data

Once the variables have been selected for extraction (tagged), the next step is to write the SAS, SPSS for DOS, or SPSS for Windows code necessary to extract the data from the data files. The Extract functions on the Menu Bar accomplish this.

The SAS Code option in the Extract menu will cause the necessary SAS program code to be written to a file whose name you specify. The .SAS extension is automatically added. The SPSS DOS Code and SPSS Win Code options will cause the necessary SPSS for DOS or SPSS for Windows program code to be written to a file whose name you specify. The .SPS extension is automatically added to the file you name.

Please note that SPSS for DOS data sets are limited to 500 variables. Figure 11 (page 18) shows an SPSS for DOS error screen. Also note that the ECB only allows for a maximum of 895 variables for SPSS for Windows extract programs and a maximum of 900 variables for SAS extract programs. This is only an issue for the NHES:95 ECPP and AE data sets, which each contain more than 900 variables. If you attempt to create an SPSS for Windows or SAS extract program with more than 895 or 900 variables, respectively, an error message will appear advising you to reduce the number of tagged variables in order to avoid a system crash.

Defining the Extract Population

Using either the SAS, SPSS for DOS, or SPSS for Windows Code options, you will be presented with a dialog box that allows you to define the extract population. By default, the extract population is *all* respondents in the catalog. You may select to include only female subjects, or only persons of Hispanic origin, etc.

Figure 11.--SPSS for DOS error screen




Figure 12 (page 19) shows the dialog box for the 1991 Adult Catalog that pops up to allow you to define the extract population. This particular dialog box includes several sections that appear for most catalogs: Sex, Race, and Age. In addition, Adult Catalogs have a Participation section, while Child Catalogs have a Grade or Interview section. The extract specification window for the 1991 Adult Education Course file looks the same as that in figure 12, except that there is no participation criteria. Examples of the Extract Specification Windows for the other NHES data sets are shown in figures 13 through 18 (pages 19-22).

The Extract Specification Window displays various subgroups of respondents that are typically of interest to analysts. This Window allows the user to specify a subgroup based on characteristics, such as sex, race, and age. By selecting the subgroup of interest, the user can easily generate SAS, SPSS for DOS, or SPSS for Windows code that will subset the data to the subpopulation specified.

Subpopulations, with the exception of those sorted by age (or grade level for the School Safety and Discipline catalogs), are included in the extract file only when there is an "X" next to their description in the Extract Specification dialog box. They are excluded when there is not an "X" next to their description. For example, if there is an "X" next to "Male," but no "X" next to "Female," only male subjects will be included in the extract file.

Changing a Setting: Except for the age settings (or grade settings for the School Safety and Discipline catalogs), a setting can be changed by pressing the spacebar. Mouse users can click on a setting to change it. For example, pressing the spacebar while "Male" is highlighted will turn the "X" off if it already exists (to deselect males) or turn the "X" on if it does not exist (to select males).

To specify an age or grade range other than the default range, the user must enter the low and high ages or grades directly, by typing a number into the window. For child and adult catalogs, the

Figure 12.--Extract specification window

Utilities TagList Show Varlist Extract Windows Help Quit 17:16:11

[.] EXTRACT SPECIFICATION ADULT

Select ONLY Records For:

SEX: AGE:
☒ Male Low Age 16
☒ Female High Age 99

RACE: PARTICIPATION:
☒ Asian ☒ Participant
☒ Black ☒ Non-Participant
☒ Hispanic
☒ Native American
☒ White
☒ Other

Ok Cancel

TEMP 2 3 4 5 6 7 8 9
TAGGED 1 2 3 4 5 6 7 8

HH 12 STND

F1:Help Alt-F3:CloseWindow F10:Menu Alt-X:Exit
NHES:91 Catalog: Adult MemAvail: 35728

Figure 13.--Primary extract specification dialog window

Utilities TagList Show Varlist Extract Windows Help Quit 17:17:43

[.] Records to Extract PRIMARY

Select ONLY Records For:

SEX: AGE:
☒ Male Low Age 4
☒ Female High Age 9

RACE: GRADE:
☒ Asian ☒ Not Enrolled (0)
☒ Black ☒ 1st Grade (1)
☒ Hispanic ☒ 2nd Grade (2)
☒ Native American ☒ 3rd Grade (3)
☒ White ☒ 4th Grade (4)
☒ Other ☒ 5th Grade (5)
☒ Not Graded (6)

Ok Cancel

TEMP 1 2 3 4 5 6 7 8
TAGGED 1 2 3 4 5 6 7 8

F1:Help Alt-F3:CloseWindow F10:Menu Alt-X:Exit
NHES:91 Catalog: Primary MemAvail: 33024

Figure 14.--Preprimary extract specification dialog window

Utilities TagList Show Varlist Extract Windows Help Quit 17:18:28

[.] EXTRACT CRITERIA PRE-PRIMARY

Select ONLY Records For:

SEX: AGE:
☐ Male Low Age 3
☒ Female High Age 7

RACE: GRADE:
☒ Asian ☒ Nursery School (U)
☒ Black ☒ Trans. Kindergarten(T)
☒ Hispanic ☒ Kindergarten (K)
☒ Native American ☒ Pre-1st Grade (P)
☒ White ☒ Not Enrolled (O)
☒ Other ☒ Not Graded (6)

Ok Cancel

F1:Help Alt-F3:CloseWindow F10:Menu Alt-X:Exit
 NHES:91 Catalog: PrePrimary MemAvail: 31680

Figure 15. School readiness extract specification dialog window

Utilities TagList Show Varlist Extract Windows Help Quit 11:56:39

[.] EXTRACT CRITERIA READINESS

Select ONLY Records For:

SEX: AGE:
☐ Male Low Age 3
☒ Female High Age 9

RACE: INTERVIEW:
☒ Asian ☒ PreSchooler (N)
☒ Black ☒ Kindergartner (K)
☒ Hispanic ☒ Primary Student (S)
☒ Native American ☒ Home Schooler (H)
☒ White
☒ Other

Ok Cancel

F1:Help Alt-F3:CloseWindow F10:Menu Alt-X:Exit
 NHES:93 Catalog: Readiness MemAvail: 31680

Figure 16.--School safety and discipline (parent) extract specification dialog window

Utilities TagList Show Varlist Extract Windows Help Quit 11:54:12

[.] EXTRACT CRITERIA

School Safety and Discipline

Select ONLY Records For:

SEX: GRADE:

[X] Male Low 3

[X] Female High 14

RACE: SCHOOL:

[X] Asian [X] Public (P)

[X] Black [X] Private (V)

[X] Hispanic

[X] Native American

[X] White

[X] Other

Ok Cancel

F1:Help Alt-F3:CloseWindow F10:Menu Alt-X:Exit MemAvail: 19040

NHES:93 Catalog: Safety (P)

Figure 17.--1995 Adult education extract specification window

Utilities TagList Show Varlist Extract Windows Help Quit 17:16:11

[.] EXTRACT SPECIFICATION

ADULT

Select ONLY Records For:

SEX: AGE:

[X] Male Low Age 16

[X] Female High Age 99

RACE: PARTICIPATION:

[X] Asian [X] Participant

[X] Black [X] Non-Participant

[X] Hispanic

[X] Native American

[X] White

[X] Other

Ok Cancel

F1:Help Alt-F3:CloseWindow F10:Menu Alt-X:Exit MemAvail: 35728

NHES:95 Catalog: Adult

Figure 18.--ECP extract specification dialog window

Utilities TagList Show Varlist Extract Windows Help Quit 11:56:39

[.] [.] EXTRACT CRITERIA ECPP

Select ONLY Records For:

SEX: AGE:
☒ Male Low Age 0
☒ Female High Age 10

RACE: INTERVIEW:
☒ Asian ☒ Infant/Toddler (I)
☒ Black ☒ Preschooler (N)
☒ Hispanic ☒ Kindergartner (K)
☒ Native American ☒ Primary Student (S)
☒ White ☒ Home Schooler (H)
☒ Other

Ok Cancel

F1:Help Alt-F3:CloseWindow F10:Menu Alt-X:Exit
 NHES:95 Catalog: ECPP MemAvail: 31680

default setting for the low and high ages correspond to the age range of children or adults included in the data set. Similarly, for the School Safety and Discipline catalogs (i.e., Youth, Parent, and Combined), the low and high grade levels correspond to the grade range of the sampled children included in the data set.

An error message will be displayed if a user violates the default settings by entering a number outside of the default range. The ages and grades are inclusive. This means, for example, that to select 4-year-olds *only*, you would enter the number 4 into *both* the Low Age and High Age lines. To select respondents under age 21, you would enter a 20 in the High Age line and use the default setting for the Low Age. Figure 19 is an example of an out-of-range data screen.

Figure 19.--An out-of-range data screen

Utilities TagList Show Varlist Extract Windows Help Quit 12:10:36

[.] [.] VARIABLE LIST

TEMP	NAME	TAG	LABEL
1	BASID	✓	UNIQUE RECORD ID
2	ENUMID	✓	SUBJECT CHILD'S ID NUMBER
3	MAINRSLT		INTERVIEW COMPLETION STATUS
4	ENGLSPAN		INTERVIEW CONDUCTED IN ENGLISH/SPANISH?
5	PARNYUT		/CHILD
6	AGE92		
7	SEX		
8	ERESPAG		

Error

Acceptable values for High Grade are 3-14. your input value was therefore set to 14.

OK

TAGGED	NAME	TAG	LABEL
1	BASID	✓	SUBJECT CHILD'S SEX
2	ENUMID	✓	P2-SUBJECT CHILD'S RACE
3	SEX	✓	P3-SUBJECT CHILD IS OF HISPANIC ORIGIN
4	RACE	✓	P6-GRADE OR YEAR CHILD IS ATTENDING
5	HISPANIC	✓	P10-PUBLIC OR PRIVATE SCHOOL
6	GRADE	✓	PY26-THINGS STOLEN FROM LOCKERS OR DESKS
7	SCPUBLIC	✓	
8	SSSTEAL	✓	

F1:Help Alt-F3:CloseWindow F10:Menu Alt-X:Exit
 NHES:93 Catalog: Safety (Y) MemAvail: 27824

Moving Between Sections: You can move to a different section of the dialog box by pressing the <Tab> key. Pressing <Tab> again will cycle to the next section. Mouse users can simply click on the setting they wish to change.

Ending Selection: Press <Enter> to finish defining the extract population. Mouse users can click on the "OK" button.

Writing the Extract Program File

Next, you are asked for the file name you want to give your extract program. Enter up to an 8-character name. The extension .SAS or .SPS will automatically be added. Note that if you enter a name that already exists, the old program will be replaced by your new program without warning. Your program file will be written to your Working Directory (default: C:\ECB\WORK). If you do not want the program file written to the default C:\ECB\WORK directory, there are at least two ways to accommodate this. First, you can change the default to another path, by selecting Setup in the Utilities menu and changing the Working Directory path (see also appendix G, Configuring the ECB Directories). Another option is to type in the exact path when prompted for the filename to assign the extract program.

You will need to quit the ECB Program to run this job, using your own SAS, SPSS for DOS, or SPSS for Windows software. It is recommended that you review the program before running it in the event that you need to customize it. For example, you may want frequencies performed for some variables, to change a file name, etc. If no modifications are made to the program, the extract data file will be created with the default name ("EXTRACT") and a listing of the contents will be output. Code for generating frequencies and means is written in the program but "commented out." Therefore, to obtain this output, you will have to remove the comment symbols. Appendix F shows examples of programs for each software type, indicating some places that users will probably want to edit the program code.

Reviewing the Extract Specifications


The only type of selection error for which the ECB checks is out-of-range age or grade entries (described above). Therefore, be careful when defining your extract criteria. It is also recommended that you review the SAS or SPSS program code that is written out before running it, so that you can check that any statements subsetting the data are correct. Note that the ECB sometimes outputs superfluous code for selecting cases; this code is consistent with extract specifications, but you may wish to delete it. For example, in the 1995 Adult Education catalog, if you specify in the ECB that both participants and nonparticipants be included in the extract data file, the extract program will be written to select cases for whom AEPARANY=1 OR AEPARANY=0. This code is consistent with the specifications but not necessary because all cases have values of either 1 or 0 for AEPARANY.

If you make a mistake in defining the criteria that is not discovered until after writing out or running the extract program, it is very easy to correct *if you saved your TagList before exiting the ECB program*. Simply restart the ECB and select the appropriate catalog, add the TagList that you saved, define the extract criteria correctly, and write out the extract program again.

Switching Catalogs

After the user has completed work in a catalog, it is possible to access another catalog without quitting the ECB. The user must choose the Utilities menu and select Catalog. A new catalog can then be selected. If all of the windows from the previous catalog have not been closed, a warning message is displayed saying "This will close the current variables and taglists. Do you want to continue?" By pressing "Yes", the user will call up the Catalog Section Dialog Box (figure 20) and can then select a different catalog. Note that if you select "Yes" without first saving your TagList, your TagList will be lost. Pressing "Cancel" will call up the active window in the current catalog.

Figure 20.--Catalog selection dialog window



Quitting the NHES:91/93/95 ECB

The last choice on the Menu Bar is Quit. To quit, choose the Quit menu and press <Enter>. Mouse users can click the Yes option of the Quit menu.

Now that you have been introduced to the NHES:91/93/95 ECB program, you may want to review appendix E, Quick Start--Sample ECB Session.

Appendix A: Survey Methodology Documentation

WordPerfect 5.1 documents (.WP5) that detail the NHES:91, NHES:93, and NHES:95 survey methodology are provided on the compact disc. These files are located in the subdirectories for each survey component on the compact disc: 91ADULT, 91CHILD, 93READY, 93SAFETY, 95ADULT, 95ECPP. The CD also contains a subdirectory called 95ECBDOC which contains this document and a subdirectory called 95GUIDE that contains a Guide to Using Data from the National Household Education Survey. The documentation files may be reviewed and printed directly from the CD-ROM or may be copied to another storage device (for example, a hard disk) and then printed. These documents are formatted for a HP LaserJet III or similar laser printer.

The included documentation files and their placement in the NHES User's Manuals are:

NHES:91 Adult Education User's Manual Files (91ADULT)

ADULTTOC.WP5	Table of Contents
ADULT1.WP5	Chapter 1
ADULT2.WP5	Chapter 2
ADULT3.WP5	Chapter 3
ADULT4.WP5	Chapter 4
ADULT5.WP5	Chapter 5
ADULT6.WP5	Chapter 6
ADULT7.WP5	Chapter 7
ADLTQUES.WP5	Screeners and Questionnaire
ADULT_B.WP5	Appendix B
ADULT_C.WP5	Appendix C
ADULT_D.WP5	Appendix D
ADULT_E.WP5	Appendix E

NHES:91 Preprimary and Primary User's Manual Files (91CHILD)

CHILDTOC.WP5	Table of Contents
CHILD1.WP5	Chapter 1
CHILD2.WP5	Chapter 2
CHILD3.WP5	Chapter 3
CHILD4.WP5	Chapter 4
CHILD5.WP5	Chapter 5
CHILD6.WP5	Chapter 6
CHILD7.WP5	Chapter 7
CHILQUES.WP5	Screeners and Questionnaire
CHILD_B.WP5	Appendix B
CHILD_C.WP5	Appendix C
CHILD_D.WP5	Appendix D
CHILD_E.WP5	Appendix E

NHES:93 School Readiness User's Manual Files (93READY)

SRTOC.WP5	Table of Contents
SR_CH1.WP5	Chapter 1
SR_CH2.WP5	Chapter 2
SR_CH3.WP5	Chapter 3
SR_CH4.WP5	Chapter 4
SR_CH5.WP5	Chapter 5
SR_CH6.WP5	Chapter 6
SR_CH7.WP5	Chapter 7
SRAPN_A.WP5	Screeners and Questionnaire
SRAPNDS.WP5	Appendices B through D

NHES:93 School Safety and Discipline User's Manual Files (93SAFETY)

SSTOC.WP5	Table of Contents
SS_CH1.WP5	Chapter 1
SS_CH2.WP5	Chapter 2
SS_CH3.WP5	Chapter 3
SS_CH4.WP5	Chapter 4
SS_CH5.WP5	Chapter 5
SS_CH6.WP5	Chapter 6
SS_CH7.WP5	Chapter 7
SSAPN_A.WP5	Screeners and Questionnaire
SSAPNXS.WP5	Appendices B through D

NHES:95 Adult Education User's Manual Files (95ADULT)

AEMANUAL.WP5	Table of Contents and all Chapters
AEQUES.WP5	Screeners and Questionnaire
AEAPPX.WP5	Appendices B, C, E, and F

NHES:95 Early Childhood Program Participation User's Manual Files (95ECPP)

ECPPMANL.WP5	Table of Contents and all Chapters
ECPPQUES.WP5	Screeners and Questionnaire
ECPPAPPX.WP5	Appendices B and C

ECB Documentation (95ECBDOC)

ECBDOC.WP5	Electronic CodeBook User's Guide (this document)
------------	---

Other Documentation (95GUIDE)

NHESGUID.WP5	A Guide to Using Data from the National Household Education Survey
--------------	--

Appendix B: Directory Listing of the NHES:91/93/95 CD-ROM

The following represents a directory listing of the NHES:91/93/95 CD-ROM.

91ADULT	<DIR>	<i>Directory containing NHES:91 Adult Education User's Manual</i>
91CHILD	<DIR>	<i>Directory containing NHES:91 Early Childhood User's Manual</i>
93READY	<DIR>	<i>Directory containing NHES:93 School Readiness User's Manual</i>
93SAFETY	<DIR>	<i>Directory containing NHES:93 School Safety and Discipline User's Manual</i>
95ADULT	<DIR>	<i>Directory containing NHES:95 Adult Education User's Manual</i>
95ECBDOC	<DIR>	<i>Directory containing NHES:95 Electronic CodeBook User's Guide</i>
95ECPP	<DIR>	<i>Directory containing NHES:95 Early Childhood Program Participation User's Manual</i>
95GUIDE	<DIR>	<i>Directory containing a Guide to Using Data from the National Household Education Survey</i>
MACPROGS	<DIR>	<i>Directory containing (ASCII) programs for each data set that will create SPSS for Windows system files containing all variables (e.g., for Macintosh users)</i>
91ADULT.DAT		<i>1991 Adult Education data file (flat file)</i>
95ADULT.DAT		<i>1995 Adult Education data file (flat file)</i>
COURSE.DAT		<i>1991 Adult Education Course data file (flat file)</i>
ECPP.DAT		<i>1995 Early Childhood Program Participation data file (flat file)</i>
GETPCID.EXE*		<i>Program that checks disk space for installation</i>
INSTALL.BAT		<i>ECB Installation program</i>
NHESECB3.EXE*		<i>ECB executable program and support files in compressed format</i>
PREPRIM.DAT		<i>1991 Preprimary data file (flat file)</i>
PRIMARY.DAT		<i>1991 Primary data file (flat file)</i>
READINES.DAT		<i>1993 School Readiness data file (flat file)</i>
SAFETY.DAT		<i>1993 School Safety and Discipline data file (flat file)</i>

*These programs are temporarily installed on the C:\ECB directory during installation and subsequently deleted from that directory.

Appendix C: Predefined Taglists

Predefined taglists are provided for each of the NHES:91, NHES:93, and NHES:95 data sets. These taglists contain sets of variables that users may want to include in their analysis. Each predefined taglist is briefly described below, in alphabetical order within catalog. Some taglists are similar in content, but not in specific variables, across catalogs. For example, the home activities items are somewhat different for Preprimary and Primary school children in the NHES:91. Similarly, the household characteristics that are collected may vary from one component or survey year to another. Please be aware that it is possible to print each of these taglists (see the section entitled The Tagged Variables Window, page 13).

NOTE: A required fields taglist (REQFLDS.DB) is provided for every catalog and is automatically included in the TAGGED window. If the user should untag any required variable, it will still automatically be included in the extraction code.

NHES:91 Adult Catalog

HOUSEHC.DB: This taglist contains household characteristics such as income, home ownership, Census region, urbanicity, and the number of persons living in the household.

LABORC.DB: This taglist contains variables associated with the adult's labor force participation status, such as their current employment status and methods used to look for work.

PARTICC.DB: This taglist contains items pertaining to participation in a range of educational activities, such as full- or part-time college degree programs, continuing education courses, basic skills courses, and English as a Second Language (ESL) instruction.

PERSONC.DB: This taglist contains characteristics of the sampled adult, such as gender, age, race, Hispanic origin, marital status, and educational attainment level.

PREVENTC: This taglist contains items concerning factors that may have prevented an adult from taking part in educational activities, such as lack of transportation or child care.

REQFLDS.DB: This taglist contains the adult's identification number, sample weight, age, race, Hispanic origin, sex, and adult education participation status. These variables are permanently tagged for any extract.

WEIGHTC.DB: This taglist contains the sample weight, replicate weights, PSU, and stratum for variance estimation.

NHES:91 Courses Catalog

PERSONC.DB: This taglist contains characteristics of the sampled adult, such as gender, age, race, Hispanic origin, marital status, and educational attainment level.

REQFLDS.DB: This taglist contains the adult's identification number, the course identification number, the sample weight, the adult's age, race, Hispanic origin, and sex. These variables are permanently tagged for any extract.

NHES:91 Primary Catalog

CAREC.DB: This taglist contains variables associated with the child's participation in various types of child care arrangements prior to starting school.

COMMONC.DB: This taglist contains those items that are common to both the Preprimary and Primary catalogs.

DADC.DB: This taglist contains the characteristics of the child's father or male guardian, if he lives in the household. It includes variables such as his educational attainment level and labor force participation status.

HACTVC.DB: This taglist contains items concerning home activities including watching television, visiting a library, playing games or sports, and doing arts or crafts.

HOUSEHC.DB: This taglist contains household characteristics, such as income, home ownership, region, urbanicity, and the number of persons living in the household.

KINDC.DB: This taglist contains items about the child's participation in kindergarten including whether the program was for a full or part day, whether the child's enrollment was delayed and reasons for delayed kindergarten entry.

MOMC.DB: This taglist contains characteristics of the child's mother or female guardian, if she lives in the household. It includes variables such as her age at first becoming a mother, educational attainment level, and labor force participation status.

PERSONC.DB: This taglist contains characteristics of the sampled child, such as age, gender, race, Hispanic origin, and school enrollment status.

REPEATC.DB: This taglist contains items associated with repeating grades in school including variables that identify the actual grades repeated and reasons for repeating grades.

REQFLDS.DB: This taglist contains the child's identification number, sample weight, race, Hispanic origin, gender, age, and grade in school. These variables are permanently tagged for any extract.

SCHOOLC.DB: This taglist contains variables describing the characteristics of the school the child attends and his/her school experiences, including the number of times the child has changed schools, whether the school is public or private, and whether teachers have indicated the child has had behavior or schoolwork problems.

WEIGHTC.DB: This taglist contains the sample weight, replicate weights, PSU, and stratum for variance estimation.

NHES:91 Preprimary Catalog

CAREC.DB: This taglist contains variables associated with the child's participation in various types of child care arrangements.

COMMONC.DB: This taglist contains those items that are common to both the Preprimary and Primary catalogs.

DADC.DB: This taglist contains variables describing the characteristics of the child's father or male guardian, if he lives in the household. It includes variables such as his educational attainment level and labor force participation status.

DAYCARC.DB: This taglist contains variables associated with the child's participation in a day care center, such as the number of days and hours per week the child attends, whether the program attended is for a full or part day, and the number of adults and children in the child's room or group.

HACTVC.DB: This taglist contains items concerning home activities, including reading, watching television, visiting libraries, and playing games or sports.

HOUSEHC.DB: This taglist contains household characteristics, such as income, home ownership, region, urbanicity, and the number of persons living in the household.

KINDERC.DB: This taglist contains items about the child's participation in kindergarten including whether entry into kindergarten was delayed and reasons for delayed entry, whether the kindergarten was public or private, and whether the child has repeated kindergarten and reasons for repeating.

MOMC.DB: This taglist contains variables describing the characteristics of the child's mother or female guardian, if she lives in the household. It includes variables such as her age at first becoming a mother, educational attainment level, and labor force participation status.

PERSONC.DB: This taglist contains characteristics of the sampled child, such as age, gender, race, Hispanic origin, school enrollment status and grade in school, birth weight, and disability status.

PRKNURSC.DB: This taglist contains items related to the child's participation in prekindergarten or nursery school programs including the number of days and hours per week the child attended, whether the program was full or part day, and the number of adults and children in the same room or group.

REQFLDS.DB: This taglist contains the child's identification number, the sample weight, race, Hispanic origin, gender, and age. These variables are permanently tagged for any extract.

WEIGHTC.DB: This taglist contains the sample weight, replicate weights, PSU, and stratum for variance estimation.

NHES:93 School Readiness Catalog

ACTIV.DB: This taglist contains items associated with home activities including reading, watching television, doing arts or crafts, playing games, and doing chores.

ADJUST.DB: This taglist contains items associated with the child's adjustment to school such as whether the child has complained about school and teacher reports of the child's behavior.

CENTERS.DB: This taglist contains items associated with participation in center-based programs including the age at first attendance, the number of days and hours per week the child attended, whether the program was for a full or part day, and the number of adults and children in the same room or group.

DEVELOP.DB: This taglist contains items concerning the developmental accomplishments and difficulties of preschoolers such as the ability to identify letters of the alphabet, to count, to hold a pencil; and whether the child has tantrums, fidgets, or stutters.

HOUSEHC.DB: This taglist contains household characteristics such as income, home ownership, region, and the number of persons living in the household.

KINDER.DB: This taglist contains items associated with kindergarten enrollment including the child's age at kindergarten entry, whether the kindergarten was public or private, whether the program was for a full or part day, and whether the child had repeated kindergarten.

PARENTS.DB: This taglist contains the characteristics of the child's parents who live in the household including their educational attainment level, labor force participation status, and language spoken most at home.

PERSONC.DB: This taglist contains characteristics of the sampled child, such as age, gender, race, and Hispanic origin.

REQFLDS.DB: This taglist contains the child's identification number, the sample weight, interview completion status, age, sex, race, and Hispanic origin. These variables are permanently tagged for any extract.

SCHOOL.DB: This taglist contains items associated with the child's school and school experiences including whether the school was public or private, the child's class standing, whether the child has repeated any grades, and whether the child has received special help with reading or math.

WEIGHTS.DB: This taglist contains the sample weight, replicate weights, PSU, and stratum for variance estimation.

NHES:93 School Safety and Discipline: Parent Catalog, Youth Catalog, Combined Catalog

CHILD.DB: This taglist contains items about the subject youth's experiences at school, including participation in activities, suspension, expulsion, and days of school missed.

DISCIPLN.DB: This taglist contains items pertaining to the youth's perception of the disciplinary environment at school, including consistency and fairness.

ENVIRON.DB: This taglist contains items pertaining to the learning environment in the school, including enjoyment of school and being challenged at school.

HHCHARS.DB: This taglist contains household characteristics such as income, home ownership, region, and the number of persons living in the household.

INCIDNTS.DB: This taglist contains items pertaining to incidents of theft, assault, and other occurrences at school.

PARENTS.DB This taglist contains the characteristics of the youth's parents who live in the household such as their educational attainment level and labor force participation status.

PERSONC.DB: This taglist contains characteristics of the sampled child, such as age, gender, race, Hispanic origin, school enrollment status and grade in school.

REQFLDS.DB: This taglist contains the child's identification number, sex, race, Hispanic origin, grade in school, and sample weight. These variables are permanently tagged for any extract.

SCHOOL.DB: This taglist contains items associated with the youth's school and school experiences including the number of students at the school, the racial composition of the school, and the lowest and highest grade in the school.

STRATEGY.DB: This taglist contains items about strategies used to avoid harm at school such as taking a special route to school, skipping school, and avoiding school events.

SUBSTNCE.DB: This taglist contains items about tobacco, alcohol, and other drugs such as friends' attitudes toward these substances and the availability of these substances.

WEIGHTS.DB: This taglist contains the sample weight, replicate weights, PSU, and stratum for variance estimation.

NHES:95 Adult Education Catalog

ACTYC.DB: This taglist includes variables pertaining to other formal structured courses, such as the number of weeks and hours per week spent in courses, and the total expense of all courses of this type.

CREDC.DB: This taglist includes variables pertaining to credential program courses, such as the number of courses taken and whether courses were employer supported.

HOUSEHC.DB: This taglist includes household characteristics such as income, receipt of public assistance, home ownership, the number of household members, region of the country, and some characteristics of the ZIP Code area in which the household is located.

LABORC.DB: This taglist contains variables describing the adult's employment status, such as the number of employers in the past 12 months, current employment status, and methods of looking for work.

PARTICC.DB: This taglist contains variables describing the participation status of the adult in adult education, including variables indicating participation in each type of adult education, participation in at

least one type of adult education, and participation in at least one type, excluding full-time credential courses.

PERSONC.DB: This taglist contains variables describing the adult's characteristics, such as years of school completed, language spoken at home, marital status, and military service.

REQFLDS.DB: This taglist includes variables required for most analyses, such as the adult's identification number, age, and sex. These variables are permanently tagged for any extract.

WEIGHTS.DB: This taglist contains the final adult weight, replicate weights, PSU, and stratum for variance estimation.

WORKC.DB: This taglist includes variables pertaining to career- or job-related courses, such as the number of weeks and hours per week spent in courses and whether courses were employer supported.

NHES:95 ECPP Catalog

CHLDCARE.DB: This taglist includes variables that describe the child's participation in nonparental care and early childhood programs, including those that indicate participation in relative and nonrelative arrangements, and in Head Start and other center-based programs.

FAMILY.DB: This taglist contains variables to describe the child's family such as the number and type of parents in the household, the number of siblings in the household, and the relationships of all household members to the child.

HOUSEHC.DB: This taglist consists of variables describing household characteristics such as income, receipt of public assistance, home ownership, the number of household members, region of the country, and some characteristics of the ZIP Code area in which the household is located.

KINDER.DB: This taglist includes variables describing the child's experiences in kindergarten including age at kindergarten entry, whether entry was delayed, type of school control, and whether the program was full- or part-day.

PARENTS.DB: This taglist includes characteristics of parents who live in the child's household such as the language first learned or spoken most at home, country of origin, educational attainment, and employment status.

PRIMARY.DB: This taglist contains variables describing the child's experiences in primary school such as the type of school control, type of yearly school schedule, class standing, reported problems with behavior and schoolwork, and grade repetition.

REQFLDS.DB: This taglist includes variables required for most analyses, such as the child's identification number, age, and sex. These variables are permanently tagged for any extract.

WEIGHTS.DB: This taglist includes the final child weight as well as replicate weights, PSU, and stratum for variance estimation.

Appendix D: Menu Descriptions

Utilities Menu

<u>Choice</u>	<u>Function</u>
Setup	Set data directory (.DAT files, usually CD-ROM drive), program directory (ECB program files), and working directory (temporary files and user files, extracts, etc.)
Catalog	Select active Catalog (91:Adult; 91:Adult - Courses; 91:Child - Primary; 91:Child - PrePrimary; 93:School Readiness; 93:School Safety and Discipline (Youth); 93:School Safety and Discipline (Parent); 93:School Safety and Discipline (Combined); 95:Adult Education; and 95:Early Childhood Program Participation (ECPP)).

TagList Menu

<u>Choice</u>	<u>Function</u>
Add	Add a predefined TagList to the current TagList in the Tagged Variables Window.
Replace	Replace the current TagList in the Tagged Variables Window with a predefined TagList.
Save	Save the current TagList in the Tagged Variables Window so that it can be retrieved at a later time.
Print	Print the current TagList in the Tagged Variables Window to your local printer.

Show Menu

<u>Choice</u>	<u>Function</u>
Variable List	Show the Variable List Window for the active catalog.
Tagged Variables	Show the Tagged Variables Window for the active catalog.

Varlist Menu

<u>Choice</u>	<u>Function</u>
Expand	Expand the Variable List Window by adding variables whose name or label contains a keyword you specify. Matches are sought in the full variable list for the active catalog and added to the variables in the current Variable List Window.
Narrow	Narrow the Variable List Window to include only those variables that contain a keyword you specify in either the variable name or label. Matches are only sought among variables in the current Variable List Window.
Reset	Reset the Variable List Window so that it contains ALL variables for the active catalog.

Extract Menu

<u>Choice</u>	<u>Function</u>
SAS Code	Generate the SAS program file necessary to extract selected data from the .DAT file (usually on a CD-ROM) into a SAS data set. This menu option allows you to specify an extract population, and an extract file name.
SPSS/DOS Code	Same as SAS above, but creates a SPSS for DOS program file to create a SPSS for DOS data file.
SPSS/Win Code	Same as SAS above, but creates SPSS for Windows program file to create a SPSS for Windows data file.

Window Menu

<u>Choice</u>	<u>Function</u>
Resize/move	Resize the active window or move it to a new location on the screen.
Zoom	If active window is not full size, zooms active window to full size. If active window is full size, resizes window to its previous size.
Next	Makes the least recently active window the active window.
Close	Closes the active window.
Tile	Tiles all windows, so each window gets a small rectangle portion of the screen (a tile).
Cascade	Cascades all windows, laying one on top of the other so that only the edges of the window below are visible. Active window is placed on top.

Help Menu

<u>Choice</u>	<u>Function</u>
Index	Displays an index of topics for which Help is available.
About	Displays information about the ECB program.

Quit Menu

<u>Choice</u>	<u>Function</u>
Yes	Quit the ECB program.
No	Do not quit the ECB program.

Appendix E: Quick Start--Sample ECB Session

This is an example of a typical session an analyst might have using the NHES:91/93/95 ECB. Let's say an analyst wants to create a file of variables associated with kindergarten attendance for black children in primary school in 1991. The actions of the analyst are shown below in italics. It is assumed that the analyst has entered the ECB from the C: drive.

Press <Enter> for the 91: Child-Primary catalog in the Catalog Selection box at Catalog Selection window.

The Variable List Window and the Tagged Window appear on the screen.

The analyst decides to add the variables from the predefined TagList called KINDC.DB, since it already contains a number of variables associated with kindergarten.

Press <Alt> <T> to highlight the TagList menu choice, and "A" to select the ADD option, or, using a mouse, click on the TagList menu followed by the ADD option.

A list of existing TagLists in the Primary subdirectory is displayed.

Type KINDC.DB in the box or click on the KINDC.DB item and press <Enter>.

By scrolling through the current Tagged Variables Window, it is clear that it now contains all of the previously tagged variables plus those in the KINDC predefined TagList.

To be sure that all needed variables are included, the analyst decides to search for other variables that might be pertinent to kindergarten.

Press <Alt> <V> to highlight the VarList menu, or click on it with a mouse. Then select the NARROW option.

Type the string KINDERG into the box and press <Enter>.

The ECB now searches all variable names and labels for the string KINDERG. By looking at the Variable List Window, the analyst sees that there are now only nine variables listed, all associated with kindergarten. Note that the new variable list does not affect the variables that are tagged.

Only one variable in the Variable List Window is not tagged. It is called REPTKIND. The label for this variable contains the KINDERG string that was used in the search. To decide whether or not to tag this variable, the analyst decides to look at the CodeBook for the variable.

Highlight the REPTKIND variable in the Variable List Window.

Double click on the variable or press <Enter> .

The item, response categories, and frequencies are displayed. The analyst decides not to tag this variable and closes the CodeBook window.

Press <Alt> <F3> or click on the close box.

The analyst realizes that the search may have been too restrictive and decides to look at other variables that might be needed for the extract file.

Select the VarList menu and then select the EXPAND option.

Type the string KINDER into the box and press <Enter> .

Now, the analyst sees one more variable in the Variable List Window. This is the CHNGYES variable that contains the string KINDER in the label. After looking at the CodeBook description of CHNGYES, the analyst decides to tag this variable.

Highlight the CHNGYES variable in the Variable List Window.

Press T or the spacebar to tag the highlighted variable.

The CHNGYES variable is now tagged, as clearly shown in both the Variable List Window and the Tagged Variables Window.

The analyst decides that this set of variables will compose the extract file. Since this set of variables may be needed in future analyses, the current list of variables in the Tagged Variables Window can be saved to a user-defined file called MYLIST in the Primary subdirectory.

Select the TagList menu and then select the SAVE option.

Type the new name MYLIST into the box and press <Enter> .

The final activity is to write the SAS statements to extract the currently tagged variables and extract only black children. As the instructions below indicate, the SAS program statements will be named MYEXAMPL.SAS and saved in a Work subdirectory.

Press <Alt> <E> or use the mouse to click on the Extract menu and then select the SAS option. Using a mouse or the spacebar, click on each Race variables until only Black is checked and press <Enter>.

Type the new name MYEXAMPL into the box and press <Enter>.

The SAS program statements have now been written and saved. Now, the analyst can quit the ECB and run SAS using the program statements in MYEXAMPL.SAS to extract a subset file from the Primary File on the CD. Any of the SAS statements in the program can be easily revised by the analyst, if changes are desired.

Select the Quit menu and then select the YES option to quit the ECB.

Appendix F: SAS and SPSS Extract Program Examples

This appendix presents examples of SAS, SPSS for DOS, and SPSS for Windows programs that each create a subfile from the NHES:91 Preprimary file. Let's say that an analyst is interested in developing a model that predicts levels of in-home and out-of-home activities that parents do with their 3- to 5-year-old preprimary children, using sociodemographic risk factors as independent variables. In the program shown below, generated by the NHES Electronic CodeBook (ECB), predefined taglists of variables, including home activities, mother's characteristics, father's characteristics, and household characteristics, were included in an extract data file. The analyst can then use these variables to create composite measures of risk and test the models indicated by his/her research hypotheses.

In the programs below, notes have been inserted on the right to explain sections of program code. Code that is underlined indicates code that data users will probably want to (or need to) modify to suit their purposes.

Example 1. SAS Program Example

```
/*  
* C:\ECB\WORK\GUIDE.SAS  
*  
* SAS program to create extract file  
*/
```

```
PROC FORMAT /* LIBRARY=library */ ;
```

FORMAT STATEMENTS FOR SELECTED VARIABLES

```
VALUE YESNO  
-1 = 'INAPPLICABLE'  
-7 = 'REFUSED'  
-8 = 'DK'  
-9 = 'NOT ASCERTAINED'  
1 = 'YES'  
2 = 'NO'  
:  
VALUE RACE  
-1 = 'INAPPLICABLE'  
-7 = 'REFUSED'  
-8 = 'DK'  
-9 = 'NOT ASCERTAINED'  
1 = 'WHITE'  
2 = 'BLACK'  
3 = 'NATIVE AMERICAN OR ALASKAN NATIVE'  
4 = 'ASIAN OR PACIFIC ISLANDER'  
91 = 'SOME OTHER RACE'  
:  
VALUE $SEXP  
-1 = 'INAPPLICABLE'  
-7 = 'REFUSED'  
-8 = 'DK'  
-9 = 'NOT ASCERTAINED'  
F = 'FEMALE'  
M = 'MALE'  
:  
VALUE NUMBERS  
-1 = 'INAPPLICABLE'  
-7 = 'REFUSED'  
-8 = 'DK'  
-9 = 'NOT ASCERTAINED'  
0 = 'BLANKS ALLOWED'  
2 - 15 = 'NUMBER OF PEOPLE'  
:  
VALUE HOMETYPE  
-1 = 'INAPPLICABLE'  
-7 = 'REFUSED'  
-8 = 'DK'  
-9 = 'NOT ASCERTAINED'  
0 = 'BLANKS ALLOWED'  
1 = 'SINGLE FAMILY HOUSE OR TOWNHOUSE'  
2 = 'APARTMENT'  
3 = 'SOME OTHER TYPE OF HOME'  
:
```

VALUE OWNHOME
 -1 = 'INAPPLICABLE'
 -7 = 'REFUSED'
 -8 = 'DK'
 -9 = 'NOT ASCERTAINED'
 0 = 'BLANKS ALLOWED'
 1 = 'OWN YOUR HOME'
 2 = 'RENT YOUR HOME'
 3 = 'HAVE SOME OTHER ARRANGEMENT'

VALUE INCOMRNG
 -1 = 'INAPPLICABLE'
 -7 = 'REFUSED'
 -8 = 'DK'
 -9 = 'NOT ASCERTAINED'
 0 = 'BLANKS ALLOWED'
 1 = '\$5,000 OR LESS'
 10 = 'OVER \$75,000'
 2 = '\$5,001 TO \$10,000'
 3 = '\$10,001 TO \$15,000'
 4 = '\$15,001 TO \$20,000'
 5 = '\$20,001 TO \$25,000'
 6 = '\$25,001 TO \$30,000'
 7 = '\$30,001 TO \$40,000'
 8 = '\$40,001 TO \$50,000'
 9 = '\$50,001 TO \$75,000'

VALUE FREQUENT
 -1 = 'INAPPLICABLE'
 -7 = 'REFUSED'
 -8 = 'DK'
 -9 = 'NOT ASCERTAINED'
 1 = 'NEVER'
 2 = 'SEVERAL TIMES A YEAR'
 3 = 'SEVERAL TIMES A MONTH'
 4 = 'AT LEAST THREE TIMES A WEEK'
 5 = 'EVERY DAY'

VALUE NUMBER
 -1 = 'INAPPLICABLE'
 -7 = 'REFUSED'
 -8 = 'DK'
 -9 = 'NOT ASCERTAINED'
 1 = 'NONE'
 2 = '1 OR 2 BOOKS'
 3 = '3 TO 9 BOOKS'
 4 = '10 OR MORE BOOKS'

VALUE TVHOURS
 -1 = 'INAPPLICABLE'
 -7 = 'REFUSED'
 -8 = 'DK'
 -9 = 'NOT ASCERTAINED'
 0 - 15 = 'HOURS PER DAY WATCHING TV/VIDEOS'
 95 = 'DO NOT HAVE A TV'
 96 = 'LESS THAN ONE HOUR PER DAY'

VALUE RULEFAM
 -1 = 'INAPPLICABLE'
 -7 = 'REFUSED'
 -8 = 'DK'
 -9 = 'NOT ASCERTAINED'
 1 = 'FAMILY RULE'
 2 = 'NOT INTERESTED'
 95 = 'DON'T HAVE TELEVISION'

VALUE TIMES
 -1 = 'INAPPLICABLE'
 -7 = 'REFUSED'
 -8 = 'DK'
 -9 = 'NOT ASCERTAINED'
 1 = '1-2 TIMES'
 2 = '3+ TIMES'

VALUE MOMAGE
 -1 = 'INAPPLICABLE'
 -7 = 'REFUSED'
 -8 = 'DK'
 -9 = 'NOT ASCERTAINED'
 16 - 71 = 'MOTHER OR FEMALE GUARDIAN AGE'


```

VALUE  NEWMOM
-1 = 'INAPPLICABLE'
-7 = 'REFUSED'
-8 = 'DK'
-9 = 'NOT ASCERTAINED'
12 - 68 = 'AGE WHEN FIRST BECAME MOM'

VALUE  LANGUAGE
-1 = 'INAPPLICABLE'
-7 = 'REFUSED'
-8 = 'DK'
-9 = 'NOT ASCERTAINED'
1 = 'ENGLISH'
2 = 'SPANISH'
3 = 'ASIAN LANGUAGE'
91 = 'OTHER LANGUAGE'

VALUE  MOMSPEAK
-1 = 'INAPPLICABLE'
-7 = 'REFUSED'
-8 = 'DK'
-9 = 'NOT ASCERTAINED'
1 = 'ENGLISH'
2 = 'SPANISH'
3 = 'ASIAN LANGUAGE'
4 = 'OTHER LANGUAGE'

VALUE  HIGHGRAD
-1 = 'INAPPLICABLE'
-7 = 'REFUSED'
-8 = 'DK'
-9 = 'NOT ASCERTAINED'
1 = 'UP TO EIGHTH GRADE'
2 = 'NINTH TO ELEVENTH GRADE'
3 = 'HIGH SCHOOL DIPLOMA OR EQUIVALENT'
4 = 'VOCATIONAL/TECHNICAL AFTER HIGH SCHOOL'
5 = '1-2 YEARS OF COLLEGE'
6 = 'ASSOCIATE'S DEGREE'
7 = '3-4 YEARS OF COLLEGE'
8 = 'BACHELOR'S DEGREE'
9 = 'GRADUATE OR PROFESSIONAL SCHOOL'

VALUE  MOMHRS1X
-1 = 'INAPPLICABLE'
-7 = 'REFUSED'
-8 = 'DK'
-9 = 'NOT ASCERTAINED'
0 - 99 = 'HOURS WORKED BY PARENT'

VALUE  ACTIVITY
-1 = 'INAPPLICABLE'
-7 = 'REFUSED'
-8 = 'DK'
-9 = 'NOT ASCERTAINED'
1 = 'KEEPING HOUSE/CARING FOR CHILDREN'
2 = 'GOING TO SCHOOL'
3 = 'RETIRED'
4 = 'UNABLE TO WORK'
91 = 'OTHER (SPECIFY)'

VALUE  AGE90X
-1 = 'INAPPLICABLE'

VALUE  $ALLGRAD
. = 'NA/MISSING'
'0' = 'NOT ENROLLED'
'1' = 'FIRST GRADE/EQUIV'
'2' = 'SECOND GRADE/EQUIV'
'3' = 'THIRD GRADE/EQUIV'
'4' = 'FOURTH GRADE/EQUIV'
'5' = 'FIFTH GRADE/EQUIV'
'6' = 'UNGRADED & NO EQUIV'
'K' = 'KINDERGARTEN'
'N' = 'NURSERY, PREK, HDST'
'P' = 'PRE-FIRST/TRANS 1ST'
'T' = 'TRANS KINDERGARTN'

```

BEST COPY AVAILABLE

VALUE CENSUSDV
 -1 = 'INAPPLICABLE'
 1 = 'NEW ENGLAND'
 2 = 'MIDDLE ATLANTIC'
 3 = 'EAST NORTH CENTRAL'
 4 = 'WEST NORTH CENTRAL'
 5 = 'SOUTH ATLANTIC'
 6 = 'EAST SOUTH CENTRAL'
 7 = 'WEST SOUTH CENTRAL'
 8 = 'MOUNTAIN'
 9 = 'PACIFIC'

VALUE CENSUSRG
 -1 = 'INAPPLICABLE'
 1 = 'NORTHEAST'
 2 = 'MIDWEST'
 3 = 'SOUTH'
 4 = 'WEST'

VALUE DADEMPLD
 . = 'NA/MISSING'
 1 = '>= 35 HRS P/WEEK'
 2 = '< 35 HRS P/WEEK'
 3 = 'HRS N/SPECIFIED'
 4 = 'LOOKING F/WORK'
 5 = 'N/IN LABOR FORCE'

VALUE DADLABOR
 . = 'NA/MISSING'
 1 = 'EMP-IN LBR FORCE'
 2 = 'UNEMP-IN LBR FORCE'
 3 = 'KEEP HOUS/CHILD CARE'
 4 = 'GOING TO SCHOOL'
 5 = 'RETIRED/UNABLE WORK'
 6 = 'OTHER'

VALUE FAMTYPE
 . = 'NA/MISSING'
 1 = '1 PARENT IN HH'
 2 = '2 PARENTS IN HH'
 3 = '3 NO PARENTS IN HH'

VALUE MOMEMPLD
 . = 'NA/MISSING'
 1 = '>= 35 HRS P/WEEK'
 2 = '< 35 HRS P/WEEK'
 3 = 'HRS N/SPECIFIED'
 4 = 'LOOKING F/WORK'
 5 = 'N/IN LABOR FORCE'

VALUE MOMLABOR
 . = 'NA/MISSING'
 1 = 'EMP-IN LBR FORCE'
 2 = 'UNEMP-IN LBR FORCE'
 3 = 'KEEP HOUS/CHILD CARE'
 4 = 'GOING TO SCHOOL'
 5 = 'RETIRED/UNABLE WORK'
 6 = 'OTHER'

VALUE PARGRADE
 . = 'NA/MISSING'
 1 = 'LESS THAN H/S'
 2 = 'H/S GRAD/EQUIVALENT'
 3 = 'VOC/TECH/SOME COLL'
 4 = 'COLLEGE GRADUATE'
 5 = 'GRADUATE/PROF SCHOOL'
 9 = 'NEITHER PARENT IN HH'

VALUE PARNTCOL
 . = 'NA/MISSING'
 1 = 'SINGLE/BOTH <COL'
 2 = '1 <COL, 1 COL DEG'
 3 = 'SINGLE/BOTH COL DEG'

VALUE PARNTHS
 . = 'NA/MISSING'
 1 = 'SINGLE/BOTH <H/S'
 2 = '1 <H/S, 1 H/S DEG'
 3 = 'SINGLE/BOTH H/S DEG'

VALUE REGIONED
 -1 = 'INAPPLICABLE'
 -9 = 'NOT ASCERTAINED'
 1 = 'NORTHEAST'
 2 = 'CENTRAL'
 3 = 'SOUTHEAST'
 4 = 'WEST'

VALUE TEENMOM
 = 'NA/MISSING'
 1 = '17 OR YOUNGER'
 2 = 'AGE 18 OR 19'
 3 = 'AGE 20 OR OLDER'

VALUE URBAN
 -1 = 'INAPPLICABLE'
 -9 = 'NOT ASCERTAINED'
 0 = 'NON'
 1 = 'MSA'
 2 = 'NECMA'

Run:
 FILENAME datfile 'D:\PREPRIM.DAT';
 LIBNAME workdir 'C:\ECB\WORK\';

DATA workdir,EXTRACT;
 INFILE datfile LRECL=636 N=2 ;
 INPUT

#1
 @1 PERSID \$9.
 @10 HISPANIC 2.
 @12 RACE 2.
 @16 GENDER \$2.
 @18 NUMPERS 2.
 @20 HOMETYPE 2.
 @22 OWNHOME 2.
 @24 INCOMRNG 2.
 @386 READTO 2.
 @388 NUMBOOKS 2.
 @390 NEWSPAPR 2.
 @392 TVHOURS 2.
 @394 RULEWHAT 2.
 @396 RULETIME 2.
 @398 RULEHRS 2.
 @400 RULEDAYS 2.
 @402 RULEFAM 2.
 @404 WKREAD 2.
 @406 WKREADN 2.
 @408 WKWORDS 2.
 @410 WKWORDSN 2.
 @412 WKMUSIC 2.
 @414 WKMUSICN 2.
 @416 WKSTORY 2.
 @418 WKSTORYN 2.
 @420 WKSANG 2.
 @422 WKSANGN 2.
 @424 WKCRAFT 2.
 @426 WKCRAFTN 2.
 @428 WKPLAY 2.
 @430 WKPLAYN 2.
 @432 WKEDTV 2.
 @434 WKEDTVN 2.
 @436 LIBRAYMO 2.
 @438 LIBRAYYR 2.
 @440 MOVIEMO 2.
 @442 MOVIEYR 2.
 @444 CONCRTMO 2.
 @446 CONCRTYR 2.
 @448 MUSEUMMO 2.
 @450 MUSEUMYR 2.
 @452 ZOOMO 2.
 @454 ZOORYR 2.
 @456 PARKMO 2.
 @458 PARKYR 2.
 @468 MOMAGE 2.
 @470 NEWMOM 2.
 @472 MOMLANG 2.
 @474 MOMSPEAK 2.
 @476 MOMGRADE 2.
 @478 MOMDIPL 2.

CD DRIVE D: IS THE DEFAULT

ASSIGNNAME OF ANALYSIS FILE (DEFAULT IS "EXTRACT")

DATA LOCATION ON RAW DATA FILE

@480	MOMWORK	2.
@482	MOMLEAVE	2.
@484	MOMHOURS	2.
@486	MOMLOOK	2.
@488	MOMPUBL	2.
@490	MOMPRIV	2.
@492	MOMEMPL	2.
@494	MOMREL	2.
@496	MOMADS	2.
@498	MOMNOTH	2.
@500	MOMOTHR	2.
@502	MOMACTY	2.
@504	DADGRADE	2.
@506	DADDIPL	2.
@508	DADWORK	2.
@510	DADLEAVE	2.
@512	DADHOURS	2.
@514	DADLOOK	2.
@516	DADPUBL	2.
@518	DADPRIV	2.
@520	DAEMPL	2.
@522	DADREL	2.
@524	DADADS	2.
@526	DADNOTH	2.
@528	DADOTHR	2.
@530	DADACTY	2.
@532	AGE90	2.
@538	ALLGRADE	\$2.
@542	CENSUSDV	2.
@544	CENSUSRG	2.
@546	DAEMPLD	2.
@548	DADLABOR	2.
@556	FAMTYPE	2.
@563	MOMEMPLD	2.
@565	MOMLABOR	2.
@567	PARGRADE	2.
@569	PARNTCOL	2.
@571	PARNTHS	2.
@583	REGION	2.
@587	TEENMOM	2.
@591	URBAN	2.
#2		
@11	EWGT	10.3
:		

LABELS FOR SELECTED VARIABLES

LABEL

PERSID = "PERS KEY = BASEID || 2-DIGIT PERSNUM"

HISPANIC = "S5/S10C/S11 HISPANIC ETHNICITY"

RACE = "S5/S10B/S11 PERSON'S RACE"

GENDER = "S5 PERSON'S GENDER"

NUMPERS = "S17 TOTAL NUMBER OF PEOPLE LIVING IN HH"

HOMETYPE = "S19 TYPE OF HOME"

OWNHOME = "S20 OWN HOME"

INCOMRNG = "S22A TOTAL HOUSEHOLD INCOME - RANGE"

READTO = "P19/E36 HOW OFTEN READ TO CHILD"

NUMBOOKS = "P20/E35 HOW MANY KIDS BOOKS CHILD HAVE"

NEWSPAPR = "P21/E38 DOES FAMILY GET DAILY NEWSPAPER"

TVHOURS = "P22/E40 HOURS PER DAY WATCHING TV/VIDEO"

RULEWHAT = "P23/E41 ANY RULES ABOUT WHAT PROGRAMS"

RULETIME = "P23/E41 ANY RULES ABOUT HOW EARLY/LATE"

RULEHRS = "P23/E41 ANY RULES ABOUT # HOURS WATCHED"

RULEDAYS = "E41 P23/E41 ANY RULES AB WEEKDAY TV HOUR"

RULEFAM = "P23A FAMILY RULE OR NOT INTERESTED IN TV"

WKREAD = "P24/E44 READ TO CHILD IN PAST WEEK"

WKREADN = "P24/E44 # TIMES READ TO CHILD IN PAST WK"

WKWORDS = "P24 TAUGHT CHILD LETTERS, WORDS, NUMBERS"

WKWORDSN = "P24 # TIMES TAUGHT LETTERS, WORDS, NUMBERS"

WKMUSIC = "P24 TAUGHT CHIL SONGS/MUSIC PAST WEEK"

WKMUSICN = "P24 # TIMES TAUGHT CHILD SONGS/MUSIC"

WKSTORY = "P24 TOLD CHILD A STORY IN PAST WEEK"

WKSTORYN = "P24 # TIMES TOLD CHILD A STORY"

WKSANG = "P24 SANG A SONG WITH CHILD IN PAST WEEK"

WKSANGN = "P24 # TIMES SANG SONG WITH CHILD"

WKCRAFT = "P24/E44 ARTS & CRAFTS W/CHILD PAST WEEK"

WKCRAFTN = "P24/E44 # TIMES ARTS & CRAFTS W/ CHILD"

WKPLAY = "P24/E44 PLAYED GAMES/SPORTS PAST WEEK"

WKPLAYN = "P24/E44 # TIMES PLAYED GAMES/SPORTS"

WKEDTV = "P24/E44 WATCHED EDUC TV W/CHILD LAST WK"

WKEDTVN = "P24/E44 # TIMES WATCHED EDUC TV LAST WK"

LIBRAYMO = "P25/E45 VISITED LIBRARY IN PAST MONTH"

LIBRARYR = "P25/E45 VISITED LIBRARY IN PAST YEAR"
 MOVIEMO = "P25/E45 GONE TO A MOVIE IN PAST MONTH"
 MOVIEYR = "P25/E45 GONE TO A MOVIE IN PAST YEAR"
 CONCR TMO = "P25/E45 TO PLAY/CONCERT/SHOW PAST MONTH"
 CONCR TYR = "P25/E45 TO PLAY/CONCERT/SHOW PAST YEAR"
 MUSEUMMO = "P25/E45 VISITED GALLERY/MUSEUM PAST MNTH"
 MUSEUMYR = "P25/E45 VISITED GALLERY/MUSEUM PAST YEAR"
 ZOOMO = "P25/E45 VISITED ZOO/AQUARIUM PAST MONTH"
 ZOOYR = "P25/E45 VISITED ZOO/AQUARIUM PAST YEAR"
 PARKMO = "P25/E45 VISITED PLAYGROUND/PARK PAST MTH"
 PARKYR = "P25/E45 VISITED PLAYGROUND/PARK PAST YR"
 MOMAGE = "C12 CHILDS MOTHERS/FEMALE GUARD'S AGE"
 NEWMOM = "C13 AGE WHEN FIRST BECAME MOTHER"
 MOMLANG = "C14 FIRST LANGUAGE SPOKEN BY MOTHER"
 MOMSPEAK = "C15 LANGUAGE SPOKEN MOST BY MOTHER"
 MOMGRADE = "C16 HIGHEST GRADE COMPLETED - MOTHER"
 MOMDIPL = "C17 MOTHER - HS DIPLOMA BEFORE VOCATION"
 MOMWORK = "C18 MOTHER WORK FOR PAY LAST WEEK"
 MOMLEAVE = "C19 MOTHER ON LEAVE OR VACATION LAST WK"
 MOMHOURS = "C20 HOURS PER WEEK MOTHER WORKS FOR PAY"
 MOMLOOK = "C21 MOTHER LOOKING FOR WORK PAST 4 WEEKS"
 MOMPUBL = "C22 MOTHER-PUBLIC EMPLOYMENT AGENCY"
 MOMPRIV = "C22 MOTHER-PRIVATE EMPLOYMENT AGENCY"
 MOMEMPL = "C22 MOTHER-CHECKED W/ EMPLOYER DIRECTLY"
 MOMREL = "C22 MOTHER-CHECKED W/ FRIENDS/RELATIVES"
 MOMADS = "C22 MOTHER-PLACED OR ANSWERED ADS"
 MOMNOTH = "C22 MOTHER-DID NOTHING TO FIND WORK"
 MOMOTHR = "C22 WHAT HAS MOTHER BEEN DOING IN LAST 4"
 MOMACTY = "C23 MOTHER'S MAIN ACTIVITY LAST WEEK"
 DADGRADE = "C24 HIGHEST GRADE COMPLETED - FATHER"
 DADDIPL = "C25 FATHER-HS DIPLOMA BEFORE VOCATION"
 DADWORK = "C26 FATHER WORK FOR PAY LAST WEEK"
 DADLEAVE = "C27 FATHER ON LEAVE OR VACATION LAST WK"
 DADHOURS = "C28 HOURS PER WEEK FATHER WORKS FOR PAY"
 DADLOOK = "C29 FATHER LOOKING FOR WORK PAST 4 WEEKS"
 DADPUBL = "C30 FATHER-PUBLIC EMPLOYMENT AGENCY"
 DADPRIV = "C30 FATHER-PRIVATE EMPLOYMENT AGENCY"
 DADEMPL = "C30 FATHER-CHECKED W/ EMPLOYER DIRECTLY"
 DADREL = "C30 FATHER-CHECKED W/ FRIENDS/RELATIVES"
 DADADS = "C30 FATHER-PLACED OR ANSWERED ADS"
 DADNOTH = "C30 FATHER-DID NOTHING TO FIND WORK"
 DADOTHR = "C30 WHAT HAS DAD BEEN DOING IN LAST 4 WK"
 DADACTY = "C31 FATHER'S MAIN ACTIVITY LAST WEEK"
 AGE90 = "D: CALCULATED AGE AS OF JAN. 1, 1991(C1)"
 ALLGRADE = "D: CHD'S GRADE IN GRDED AND UNGR SCH"
 CENSUSDV = "CENSUS DIVISION"
 CENSUSRG = "CENSUS REGION"
 DADEMPLD = "D: WORK STATUS OF FATHER/STEPF/M GUAR"
 DADLABOR = "D: FATHER LABOR FORCE PARTICN"
 FAMTYPE = "D: ONE/TWO/NO PARENT IN HH"
 MOMEMPLD = "D: WORK STATUS OF MOTHER/STEPM/F GUAR"
 MOMLABOR = "D: MOTHER/STEPM/FGUAR LABOR FORCE PARTIC"
 PARGRADE = "D: HIGHEST LEVEL OF PARENTAL EDUCATION"
 PARNTCOL = "D: PARENTS COLLEGE EDUCATION"
 PARNTHS = "D: PARENTS HIGH SCHOOL EDUCATION"
 REGION = "DEPARTMENT OF EDUCATION REGION"
 TEENMOM = "D: MOM/GUARD: AGE FIRST BECAME MOTHER"
 URBAN = "URBAN/CITY"
 EWGT = "FINAL CHILD WEIGHT"

FORMAT

HISpanic YESNO.
 RACE RACE.
 GENDER \$SEX.
 NUMPERS NUMPERS.
 HOMETYPE HOMETYPE.
 OWNHOME OWNHOME.
 INCOMRNG INCOMRNG.
 READTO FREQUENT.
 NUMBOOKS NUMBER.
 NEWSPAPR YESNO.
 TVHOURS TVHOURS.
 RULEWHAT YESNO.
 RULETIME YESNO.
 RULEHRS YESNO.
 RULEDAYS YESNO.
 RULEFAM RULEFAM.
 WKREAD YESNO.
 WKREADN TIMES.
 WKWORDS YESNO.
 WKWORDSN TIMES.

ASSIGNMENT OF FORMATS

WKMUSIC	YESNO.
WKMUSICN	TIMES.
WKSTORY	YESNO.
WKSTORYN	TIMES.
WKSANG	YESNO.
WKSANGN	TIMES.
WKCRAFT	YESNO.
WKCRAFTN	TIMES.
WKPLAY	YESNO.
WKPLAYN	TIMES.
WKEDTV	YESNO.
WKEDTVN	TIMES.
LIBRAYMO	YESNO.
LIBRAYYR	YESNO.
MOVIEMO	YESNO.
MOVIEYR	YESNO.
CONCRTMO	YESNO.
CONCRTYR	YESNO.
MUSEUMMO	YESNO.
MUSEUMYR	YESNO.
ZOOMO	YESNO.
ZOORYR	YESNO.
PARKMO	YESNO.
PARKYR	YESNO.
MOMAGE	MOMAGE.
NEWMOM	NEWMOM.
MOMLANG	LANGUAGE.
MOMSPEAK	MOMSPEAK.
MOMGRADE	HIGHGRAD.
MOMDIPL	YESNO.
MOMWORK	YESNO.
MOMLEAVE	YESNO.
MOMHOURS	MOMHRSIX.
MOMLOOK	YESNO.
MOMPUBL	YESNO.
MOMPRIV	YESNO.
MOMEMPL	YESNO.
MOMREL	YESNO.
MOMADS	YESNO.
MOMNOTH	YESNO.
MOMOTHR	YESNO.
MOMACTY	ACTIVITY.
DADGRADE	HIGHGRAD.
DADDIPL	YESNO.
DADWORK	YESNO.
DADLEAVE	YESNO.
DADHOURS	MOMHRSIX.
DADLOOK	YESNO.
DADPUBL	YESNO.
DADPRIV	YESNO.
DADEMPL	YESNO.
DADREL	YESNO.
DADADS	YESNO.
DADNOTH	YESNO.
DADOTHR	YESNO.
DADACTY	ACTIVITY.
AGE90	AGE90X.
ALLGRADE	\$ALLGRAD.
CENSUSDV	CENSUSDV.
CENSUSRG	CENSUSRG.
DADEMPLD	DADEMPLD.
DADLABOR	DADLABOR.
FAMTYPE	FAMTYPE.
MOMEMPLD	MOMEMPLD.
MOMLABOR	MOMLABOR.
PARGRADE	PARGRADE.
PARNTCOL	PARNTCOL.
PARNTHS	PARNTHS.
REGION	REGIONED.
TEENMOM	TEENMOM.
URBAN	URBAN.

IF ((AGE90 LE 5)):

RUN;

**SELECTS 3- TO 5-YEAR-OLDS, AS WAS SPECIFIED
IN THE EXTRACT CRITERIA IN THE ECB PROGRAM**

```
PROC CONTENTS
  DATA=workdir.EXTRACT;
RUN;
```

```
/* PROC FREQ DATA=workdir.EXTRACT;
```

```
TABLES
HISPANIC RACE GENDER HOMETYPE OWNHOME INCOMRNG READTO
NUMBOOKS NEWSPAPR RULEWHAT RULETIME RULEHRS RULEFAM
WKREAD WKREADN WKWORDS WKWORDSN WKMUSIC WKSTORY
WKSTORYN WKSANG WKSANGN WKCRAFT WKCRAFTN WKPLAY WKPLAYN
WKEDTV WKEDTVN LIBRAYMO LIBRAYR MOVIEYR CONCRMO
CONCRTYR MUSEUMMO MUSEUMYR ZOOMO ZOOMYR PARKMO PARKYR
MOMLANG MOMSPEAK MOMGRADE MOMDIPL MOMWORK MOMHOURS
MOMLOOK MOMPUBL MOMPRIV MOMEMPL MOMREL MOMADS MOMNOTH
MOMOTHR MOMACTY DADGRADE DADDIPL DADWORK DADLEAVE DADLOOK
DADPUBL DADPRIV DADEMPL DADREL DADADS DADNTH DADOTHR
DADACTY AGE90 ALLGRADE CENSUSDV CENSUSRG DADEMPLO DADLABOR FAMTYPE
MOMEMPLD MOMLABOR PARGRADE PARNTCOL PARNTHS REGION TEENMOM URBAN

/MISSING;
RUN;
*/
```

```
/*PROC MEANS DATA=workdir.EXTRACT;
  VAR
  NUMPERS TVHOURS MOMAGE NEWMOM DADHOURS EWGT ;
RUN;
*/
```

CONTENTS OF ANALYSIS FILE
(use same filename as assigned above)

UNWEIGHTED FREQS OF CATEGORICAL VARIABLES
(use same filename as assigned above)
(add **WEIGHT** statement for weighted frequencies)

UNWEIGHTED MEANS OF CONTINUOUS VARIABLES
(use same filename as assigned above)
(add **WEIGHT** statement for weighted means)

Example 2. SPSS for DOS Program Example

```
*
* C:\ECB\WORK\GUIDE.SPS
*
* SPSS program to create extract file
*
SET MORE=OFF/SCREEN=OFF.
```

```
DATA LIST FILE='D:\PREPRIM.DAT' FIXED
```

```
/ PERSID      1-9          (A)
  HISPANIC    10-11
  RACE        12-13
  GENDER      16-17       (A)
  NUMBERS     18-19
  HOMETYPE    20-21
  OWNHOME     22-23
  INCOMRNG    24-25
  READTO      386-387
  NUMBOOKS    388-389
  NEWSPAPR    390-391
  TVHOURS     392-393
  RULEWHAT    394-395
  RULETIME    396-397
  RULEHRS     398-399
  RULEDAYS    400-401
  RULEFAM     402-403
  WKREAD      404-405
  WKREADN     406-407
  WKWORDS     408-409
  WKWORDSN    410-411
  WKMUSIC     412-413
  WKMUSICN    414-415
  WKSTORY     416-417
  WKSTORYN    418-419
  WKSANG      420-421
  WKSANGN     422-423
  WKCRAFT     424-425
  WKCRAFTN    426-427
  WKPLAY      428-429
  WKPLAYN     430-431
  WKEDTV      432-433
  WKEDTVN     434-435
  LIBRAYMO    436-437
  LIBRAYYR    438-439
  MOVIEMO     440-441
  MOVIEYR     442-443
  CONCRTMO    444-445
  CONCRTYR    446-447
  MUSEUMMO    448-449
  MUSEUMYR    450-451
  ZOOMO       452-453
  ZOOPYR      454-455
  PARKMO      456-457
  PARKYR      458-459
  MOMAGE      468-469
  NEWMOM      470-471
  MOMLANG     472-473
  MOMSPEAK    474-475
  MOMGRADE    476-477
  MOMDIPL     478-479
  MOMWORK     480-481
  MOMLEAVE    482-483
  MOMHOURS    484-485
  MOMLOOK     486-487
  MOMPUBL     488-489
  MOMPRIV     490-491
  MOMEMPL     492-493
  MOMREL      494-495
  MOMADS      496-497
  MOMNOTH     498-499
  MOMOTHR     500-501
  MOMACTY     502-503
  DADGRADE    504-505
  DADDIPL     506-507
  DADWORK     508-509
  DADLEAVE    510-511
  DADHOURS    512-513
  DADLOOK     514-515
```

CD DRIVE D: IS THE DEFAULT

DATA LOCATION ON RAW DATA FILE

DADPUBL	516-517
DADPRIV	518-519
DAEMPL	520-521
DADREL	522-523
DADADS	524-525
DADNOTH	526-527
DADOTHR	528-529
DADACTY	530-531
AGE90	532-533
ALLGRADE	538-539
CENSUSDV	542-543
CENSUSRG	544-545
DAEMPLD	546-547
DADLABOR	548-549
FAMTYPE	556-557
MOMEMPLD	563-564
MOMLABOR	565-566
PARGRADE	567-568
PARNTCOL	569-570
PARNTHS	571-572
REGION	583-584
TEENMOM	587-588
URBAN	591-592
EWGT	11-20

(A)

LABELS FOR SELECTED VARIABLES

VARIABLE LABEL

PERSID	"PERS KEY = BASEID 2-DIGIT PERSNUM"
HISPANIC	"S5/S10C/S11 HISPANIC ETHNICITY"
RACE	"S5/S10B/S11 PERSON'S RACE"
GENDER	"S5 PERSON'S GENDER"
NUMPERS	"S17 TOTAL NUMBER OF PEOPLE LIVING IN HH"
HOMETYPE	"S19 TYPE OF HOME"
OWNHOME	"S20 OWN HOME"
INCOMRNG	"S22A TOTAL HOUSEHOLD INCOME - RANGE"
READTO	"P19/E36 HOW OFTEN READ TO CHILD"
NUMBOOKS	"P20/E35 HOW MANY KIDS BOOKS CHILD HAVE"
NEWSPAPR	"P21/E38 DOES FAMILY GET DAILY NEWSPAPER"
TVHOURS	"P22/E40 HOURS PER DAY WATCHING TV/VIDEO"
RULEWHAT	"P23/E41 ANY RULES ABOUT WHAT PROGRAMS"
RULETIME	"P23/E41 ANY RULES ABOUT HOW EARLY/LATE"
RULEHRS	"P23/E41 ANY RULES ABOUT # HOURS WATCHED"
RULEDAYS	"E41 P23/E41 ANY RULES AB WEEKDAY TV HOUR"
RULEFAM	"P23A FAMILY RULE OR NOT INTERESTED IN TV"
WKREAD	"P24/E44 READ TO CHILD IN PAST WEEK"
WKREADN	"P24/E44 # TIMES READ TO CHILD IN PAST WK"
WKWORDS	"P24 TAUGHT CHILD LETTERS, WORDS, NUMBERS"
WKWORDSN	"P24 # TIMES TAUGHT LETTERS, WORDS, NUMBERS"
WKMUSIC	"P24 TAUGHT CHIL SONGS/MUSIC PAST WEEK"
WKMUSICN	"P24 # TIMES TAUGHT CHILD SONGS/MUSIC"
WKSTORY	"P24 TOLD CHILD A STORY IN PAST WEEK"
WKSTORYN	"P24 # TIMES TOLD CHILD A STORY"
WKSANG	"P24 SANG A SONG WITH CHILD IN PAST WEEK"
WKSANGN	"P24 # TIMES SANG SONG WITH CHILD"
WKCRAFT	"P24/E44 ARTS & CRAFTS W/CHILD PAST WEEK"
WKCRAFTN	"P24/E44 # TIMES ARTS & CRAFTS W/ CHILD"
WKPLAY	"P24/E44 PLAYED GAMES/SPORTS PAST WEEK"
WKPLAYN	"P24/E44 # TIMES PLAYED GAMES/SPORTS"
WKEDTV	"P24/E44 WATCHED EDUC TV W/CHILD LAST WK"
WKEDTVN	"P24/E44 # TIMES WATCHED EDUC TV LAST WK"
LIBRAYMO	"P25/E45 VISITED LIBRARY IN PAST MONTH"
LIBRAYYR	"P25/E45 VISITED LIBRARY IN PAST YEAR"
MOVIEMO	"P25/E45 GONE TO A MOVIE IN PAST MONTH"
MOVIEYR	"P25/E45 GONE TO A MOVIE IN PAST YEAR"
CONCRTMO	"P25/E45 TO PLAY/CONCERT/SHOW PAST MONTH"
CONCRTYR	"P25/E45 TO PLAY/CONCERT/SHOW PAST YEAR"
MUSEUMMO	"P25/E45 VISITED GALLERY/MUSEUM PAST MNTH"
MUSEUMYR	"P25/E45 VISITED GALLERY/MUSEUM PAST YEAR"
ZOOMO	"P25/E45 VISITED ZOO/AQUARIUM PAST MONTH"
ZOYR	"P25/E45 VISITED ZOO/AQUARIUM PAST YEAR"
PARKMO	"P25/E45 VISITED PLAYGROUND/PARK PAST MTH"
PARKYR	"P25/E45 VISITED PLAYGROUND/PARK PAST YR"
MOMAGE	"C12 CHILDS MOTHERS/FEMALE GUARD'S AGE"
NEWMOM	"C13 AGE WHEN FIRST BECAME MOTHER"
MOMLANG	"C14 FIRST LANGUAGE SPOKEN BY MOTHER"
MOMSPEAK	"C15 LANGUAGE SPOKEN MOST BY MOTHER"
MOMGRADE	"C16 HIGHEST GRADE COMPLETED - MOTHER"
MOMDIPL	"C17 MOTHER - HS DIPLOMA BEFORE VOCATION"
MOMWORK	"C18 MOTHER WORK FOR PAY LAST WEEK"

MOMLEAVE	"C19 MOTHER ON LEAVE OR VACATION LAST WK"
MOMHOURS	"C20 HOURS PER WEEK MOTHER WORKS FOR PAY"
MOMLOOK	"C21 MOTHER LOOKING FOR WORK PAST 4 WEEKS"
MOMPUBL	"C22 MOTHER-PUBLIC EMPLOYMENT AGENCY"
MOMPRIV	"C22 MOTHER-PRIVATE EMPLOYMENT AGENCY"
MOMEMPL	"C22 MOTHER-CHECKED W/ EMPLOYER DIRECTLY"
MOMREL	"C22 MOTHER-CHECKED W/ FRIENDS/RELATIVES"
MOMADS	"C22 MOTHER-PLACED OR ANSWERED ADS"
MOMNOTH	"C22 MOTHER-DID NOTHING TO FIND WORK"
MOMOTHR	"C22 WHAT HAS MOTHER BEEN DOING IN LAST 4"
MOMACTY	"C23 MOTHER'S MAIN ACTIVITY LAST WEEK"
DADGRADE	"C24 HIGHEST GRADE COMPLETED - FATHER"
DADDIPL	"C25 FATHER-HS DIPLOMA BEFORE VOCATION"
DADWORK	"C26 FATHER WORK FOR PAY LAST WEEK"
DADLEAVE	"C27 FATHER ON LEAVE OR VACATION LAST WK"
DADHOURS	"C28 HOURS PER WEEK FATHER WORKS FOR PAY"
DADLOOK	"C29 FATHER LOOKING FOR WORK PAST 4 WEEKS"
DADPUBL	"C30 FATHER-PUBLIC EMPLOYMENT AGENCY"
DADPRIV	"C30 FATHER-PRIVATE EMPLOYMENT AGENCY"
DADEMP	"C30 FATHER-CHECKED W/ EMPLOYER DIRECTLY"
DADREL	"C30 FATHER-CHECKED W/ FRIENDS/RELATIVES"
DADADS	"C30 FATHER-PLACED OR ANSWERED ADS"
DADNOTH	"C30 FATHER-DID NOTHING TO FIND WORK"
DADOTHR	"C30 WHAT HAS DAD BEEN DOING IN LAST 4 WK"
DADACTY	"C31 FATHER'S MAIN ACTIVITY LAST WEEK"
AGE90	"D: CALCULATED AGE AS OF JAN. 1, 1991(C1)"
ALLGRADE	"D: CHD'S GRADE IN GRDED AND UNGR SCH"
CENSUSDV	"CENSUS DIVISION"
CENSUSRG	"CENSUS REGION"
DADEMPD	"D: WORK STATUS OF FATHER/STEPF/M GUAR"
DADLABOR	"D: FATHER LABOR FORCE PARTICN"
FAMTYPE	"D: ONE/TWO/NO PARENT IN HH"
MOMEMPLD	"D: WORK STATUS OF MOTHER/STEPM/F GUAR"
MOMLABOR	"D: MOTHER/STEPM/FGUAR LABOR FORCE PARTICN"
PARGRADE	"D: HIGHEST LEVEL OF PARENTAL EDUCATION"
PARNTCOL	"D: PARENTS COLLEGE EDUCATION"
PARNTHS	"D: PARENTS HIGH SCHOOL EDUCATION"
REGION	"DEPARTMENT OF EDUCATION REGION"
TEENMOM	"D: MOM/GUARD: AGE FIRST BECAME MOTHER"
URBAN	"URBAN/CITY"
EWGT	"FINAL CHILD WEIGHT"

VALUE LABELS
/ HISPANIC

-1 'INAPPLICABLE'
-7 'REFUSED'
-8 'DK'
-9 'NOT ASCERTAINED'
1 'YES'
2 'NO'

/ RACE

-1 'INAPPLICABLE'
-7 'REFUSED'
-8 'DK'
-9 'NOT ASCERTAINED'
1 'WHITE'
2 'BLACK'
3 'NATIVE AMERICAN OR ALASKAN NATIVE'
4 'ASIAN OR PACIFIC ISLANDER'
91 'SOME OTHER RACE'

/ GENDER

-1 'INAPPLICABLE'
-7 'REFUSED'
-8 'DK'
-9 'NOT ASCERTAINED'
'F' 'FEMALE'
'M' 'MALE'

/ NUMBERS

-1 'INAPPLICABLE'
-7 'REFUSED'
-8 'DK'
-9 'NOT ASCERTAINED'
0 'BLANKS ALLOWED'

ASSIGNMENT OF VALUE LABELS

/ HOMETYPE
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 0 'BLANKS ALLOWED'
 1 'SINGLE FAMILY HOUSE OR TOWNHOUSE'
 2 'APARTMENT'
 3 'SOME OTHER TYPE OF HOME'

/ OWNHOME
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 0 'BLANKS ALLOWED'
 1 'OWN YOUR HOME'
 2 'RENT YOUR HOME'
 3 'HAVE SOME OTHER ARRANGEMENT'

/ INCOMRNG
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 0 'BLANKS ALLOWED'
 1 '\$5,000 OR LESS'
 10 'OVER \$75,000'
 2 '\$5,001 TO \$10,000'
 3 '\$10,001 TO \$15,000'
 4 '\$15,001 TO \$20,000'
 5 '\$20,001 TO \$25,000'
 6 '\$25,001 TO \$30,000'
 7 '\$30,001 TO \$40,000'
 8 '\$40,001 TO \$50,000'
 9 '\$50,001 TO \$75,000'

/ READTO
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'NEVER'
 2 'SEVERAL TIMES A YEAR'
 3 'SEVERAL TIMES A MONTH'
 4 'AT LEAST THREE TIMES A WEEK'
 5 'EVERY DAY'

/ NUMBOOKS
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'NONE'
 2 '1 OR 2 BOOKS'
 3 '3 TO 9 BOOKS'
 4 '10 OR MORE BOOKS'

/ NEWSPAPR
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ TVHOURS
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 95 'DO NOT HAVE A TV'
 96 'LESS THAN ONE HOUR PER DAY'

/ RULEWHAT
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ RULETIME
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/	RULEHRS	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	RULEDAYS	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	RULEFAM	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'FAMILY RULE'
		2 'NOT INTERESTED'
		95 "DON'T HAVE TELEVISION"
/	WKREAD	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	WKREADN	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 '1-2 TIMES'
		2 '3+ TIMES'
/	WKWORDS	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	WKWORDSN	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 '1-2 TIMES'
		2 '3+ TIMES'
/	WKMUSIC	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	WKMUSICN	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 '1-2 TIMES'
		2 '3+ TIMES'
/	WKSTORY	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	WKSTORYN	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 '1-2 TIMES'
		2 '3+ TIMES'

/	WKSANG	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	WKSANGN	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 '1-2 TIMES'
		2 '3+ TIMES'
/	WKCRAFT	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	WKCRAFTN	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 '1-2 TIMES'
		2 '3+ TIMES'
/	WKPLAY	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	WKPLAYN	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 '1-2 TIMES'
		2 '3+ TIMES'
/	WKEDTV	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	WKEDTVN	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 '1-2 TIMES'
		2 '3+ TIMES'
/	LIBRAYMO	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	LIBRAYYR	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	MOVIEMO	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'

BEST COPY AVAILABLE

/	MOVIEYR	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	CONCRTMO	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	CONCRTYR	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	MUSEUMMO	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	MUSEUMYR	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	ZOOMO	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	ZOYR	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	PARKMO	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	PARKYR	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	MOMAGE	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
/	NEWMOM	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'

/	MOMLANG	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'ENGLISH'
		2 'SPANISH'
		3 'ASIAN LANGUAGE'
		91 'OTHER LANGUAGE'
/	MOMSPEAK	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'ENGLISH'
		2 'SPANISH'
		3 'ASIAN LANGUAGE'
		4 'OTHER LANGUAGE'
/	MOMGRADE	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'UP TO EIGHTH GRADE'
		2 'NINTH TO ELEVENTH GRADE'
		3 'HIGH SCHOOL DIPLOMA OR EQUIVALENT'
		4 'VOCATIONAL/TECHNICAL AFTER HIGH SCHOOL'
		5 '1-2 YEARS OF COLLEGE'
		6 'ASSOCIATE'S DEGREE'
		7 '3-4 YEARS OF COLLEGE'
		8 'BACHELOR'S DEGREE'
		9 'GRADUATE OR PROFESSIONAL SCHOOL'
/	MOMDIPL	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	MOMWORK	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	MOMLEAVE	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	MOMHOURS	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
/	MOMLOOK	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	MOMPUBL	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	MOMPRIV	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'

/ MOMEMPL
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ MOMREL
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ MOMADS
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ MOMNOTH
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ MOMOTHR
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ MOMACTY
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'KEEPING HOUSE/CARING FOR CHILDREN'
 2 'GOING TO SCHOOL'
 3 'RETIRED'
 4 'UNABLE TO WORK'
 91 'OTHER (SPECIFY)'

/ DADGRADE
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'UP TO EIGHTH GRADE'
 2 'NINTH TO ELEVENTH GRADE'
 3 'HIGH SCHOOL DIPLOMA OR EQUIVALENT'
 4 'VOCATIONAL/TECHNICAL AFTER HIGH SCHOOL'
 5 '1-2 YEARS OF COLLEGE'
 6 'ASSOCIATE'S DEGREE'
 7 '3-4 YEARS OF COLLEGE'
 8 'BACHELOR'S DEGREE'
 9 'GRADUATE OR PROFESSIONAL SCHOOL'

/ DADDIPL
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ DADWORK
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ DADLEAVE
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/	DADHOURS	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
/	DADLOOK	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	DADPUBL	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	DADPRIV	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	DAEMPL	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	DADREL	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	DADADS	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	DADNOTH	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	DADOTHR	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	DADACTY	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'KEEPING HOUSE/CARING FOR CHILDREN'
		2 'GOING TO SCHOOL'
		3 'RETIRED'
		4 'UNABLE TO WORK'
		91 'OTHER (SPECIFY)'
/	AGE90	-1 'INAPPLICABLE'

```

/ ALLGRADE
0 'NOT ENROLLED'
1 'FIRST GRADE/EQUIV'
2 'SECOND GRADE/EQUIV'
3 'THIRD GRADE/EQUIV'
4 'FOURTH GRADE/EQUIV'
5 'FIFTH GRADE/EQUIV'
6 'UNGRADED & NO EQUIV'
K 'KINDERGARTEN'
N 'NURSERY, PREK, HDST'
P 'PRE-FIRST/TRANS 1ST'
T 'TRANS KINDERGARTN'

/ CENSUSDV
-1 'INAPPLICABLE'
1 'NEW ENGLAND'
2 'MIDDLE ATLANTIC'
3 'EAST NORTH CENTRAL'
4 'WEST NORTH CENTRAL'
5 'SOUTH ATLANTIC'
6 'EAST SOUTH CENTRAL'
7 'WEST SOUTH CENTRAL'
8 'MOUNTAIN'
9 'PACIFIC'

/ CENSUSRG
-1 'INAPPLICABLE'
1 'NORTHEAST'
2 'MIDWEST'
3 'SOUTH'
4 'WEST'

/ DAEMPLD
1 '=> 35 HRS P/WEEK'
2 '< 35 HRS P/WEEK'
3 'HRS N/SPECIFIED'
4 'LOOKING F/WORK'
5 'N/IN LABOR FORCE'

/ DADLABOR
1 'EMP-IN LBR FORCE'
2 'UNEMP-IN LBR FORCE'
3 'KEEP HOUS/CHILD CARE'
4 'GOING TO SCHOOL'
5 'RETIRED/UNABLE WORK'
6 'OTHER'

/ FAMTYPE
1 '1 PARENT IN HH'
2 '2 PARENTS IN HH'
3 '3 NO PARENTS IN HH'

/ MOMEMPLD
1 '=> 35 HRS P/WEEK'
2 '< 35 HRS P/WEEK'
3 'HRS N/SPECIFIED'
4 'LOOKING F/WORK'
5 'N/IN LABOR FORCE'

/ MOMLABOR
1 'EMP-IN LBR FORCE'
2 'UNEMP-IN LBR FORCE'
3 'KEEP HOUS/CHILD CARE'
4 'GOING TO SCHOOL'
5 'RETIRED/UNABLE WORK'
6 'OTHER'

/ PARGRADE
1 'LESS THAN H/S'
2 'H/S GRAD/EQUIVALENT'
3 'VOC/TECH/SOME COLL'
4 'COLLEGE GRADUATE'
5 'GRADUATE/PROF SCHOOL'
9 'NEITHER PARENT IN HH'

/ PARNTCOL
1 'SINGLE/BOTH <COL'
2 '1 <COL, 1 COL DEG'
3 'SINGLE/BOTH COL DEG'

/ PARNTHS
1 'SINGLE/BOTH <H/S'
2 '1 <H/S, 1 H/S DEG'
3 'SINGLE/BOTH H/S DEG'

/ REGION
-1 'INAPPLICABLE'
-9 'NOT ASCERTAINED'
1 'NORTHEAST'
2 'CENTRAL'
3 'SOUTHEAST'
4 'WEST'

```

```

/  TEENMOM
      1 '17 OR YOUNGER'
      2 'AGE 18 OR 19'
      3 'AGE 20 OR OLDER'

/  URBAN
      -1 'INAPPLICABLE'
      -9 'NOT ASCERTAINED'
      0 'NON'
      1 'MSA'
      2 'NECMA'

```

SELECT IF ((AGE90 LE 5)).

**SELECTS 3- TO 5-YEAR OLDS, AS WAS SPECIFIED
IN THE EXTRACT CRITERIA IN THE ECB PROGRAM**

SAVE OUTFILE='C:\ECB\WORK\EXTRACT.SYS'.

ASSIGN NAME OF ANALYSIS FILE (DEFAULT IS "EXTRACT")

DISPLAY ALL.

CONTENTS OF ANALYSIS FILE

* Frequencies /VARIABLES=

**UNWEIGHTED FREQS OF CATEGORICAL VARIABLES
(insert the WEIGHT command above for weighted frequencies)**

HISPANIC	RACE	GENDER	HOMETYPE	OWNHOME	INCOMRNG	READTO
NUMBOOKS	NEWSPAPR	RULEWHAT	RULETIME	RULEHRS	RULEDAYS	RULEFAM
WKREAD	WKREADN	WKWORDS	WKWORDSN	WKMUSIC	WKMUSCN	WKSTORY
WKSTORYN	WKSANG	WKSANGN	WKCRAFT	WKCRAFTN	WKPLAY	WKPLAYN
WKEDTV	WKEDTVN	LIBRAYMO	LIBRAYYR	MOVIEMO	MOVIEYR	CONCRTMO
CONCRTYR	MUSEUMMO	MUSEUMYR	ZOOMO	ZOOYR	PARKMO	PARKYR
MOMLANG	MOMSPEAK	MOMGRADE	MOMDIPL	MOMWORK	MOMLEAVE	MOMHOURS
MOMLOOK	MOMPUBL	MOMPRIV	MOMEMPL	MOMREL	MOMADS	MOMNOTH
MOMOTHR	MOMACTY	DADGRADE	DADDIPL	DADWORK	DADLEAVE	DADLOOK
DADPUBL	DADPRIV	DADEMPL	DADREL	DADADS	DADNOTH	DADOTHR
DADACTY	AGE90	ALLGRADE	CENSUSDV	CENSUSRG	DADEMPLD	DADLABOR
FAMTYPE	MOMEMPLD	MOMLABOR	PARGRADE	PARNTCOL	PARNTHS	REGION
TEENMOM	URBAN					

/MISSING=INCLUDE.

* Descriptives VARIABLES=

**UNWEIGHTED DESCRIPTIVE STATISTICS OF CONTINUOUS VARIABLES
(insert the WEIGHT command above for weighted estimates)**

NUMBERS TVHOURS MOMAGE NEWMOM DADHOURS EWGT.
FINISH.

Example 3. SPSS for Windows Program Example

```
*
* C:\ECB\WORK\GUIDE.SPS
*
* SPSS program to create extract file
*
```

```
SET MORE=OFF/SCREEN=OFF.
```

```
DATA LIST FILE='D:\PREPRIM.DAT' FIXED RECORDS= 2 TABLE
/1
```

CD DRIVE D: IS THE DEFAULT

DATA LOCATION ON RAW DATA FILE

```
PERSID      1-9      (A)
HISPANIC    10-11
RACE        12-13
GENDER      16-17    (A)
NUMPERS     18-19
HOMETYPE    20-21
OWNHOME     22-23
INCOMRNG    24-25
READTO      386-387
NUMBOOKS    388-389
NEWSPAPR    390-391
TVHOURS     392-393
RULEWHAT    394-395
RULETIME    396-397
RULEHRS     398-399
RULEDAYS    400-401
RULEFAM     402-403
WKREAD      404-405
WKREADN     406-407
WKWORDS     408-409
WKWORDSN    410-411
WKMUSIC     412-413
WKMUSICN    414-415
WKSTORY     416-417
WKSTORYN    418-419
WKSANG      420-421
WKSANGN     422-423
WKCRAFT     424-425
WKCRAFTN    426-427
WKPLAY      428-429
WKPLAYN     430-431
WKEDTV      432-433
WKEDTVN     434-435
LIBRAYMO    436-437
LIBRAYYR    438-439
MOVIEMO     440-441
MOVIEYR     442-443
CONCRTMO    444-445
CONCRTYR    446-447
MUSEUMMO    448-449
MUSEUMYR    450-451
ZOOMO       452-453
ZOOYR       454-455
PARKMO      456-457
PARKYR      458-459
MOMAGE      468-469
NEWMOM      470-471
MOMLANG     472-473
MOMSPEAK    474-475
MOMGRADE    476-477
MOMDIPL     478-479
MOMWORK     480-481
MOMLEAVE    482-483
MOMHOURS    484-485
MOMLOOK     486-487
MOMPUBL     488-489
MOMPRIV     490-491
MOMEMPL     492-493
MOMREL      494-495
MOMADS      496-497
MOMNOTH     498-499
MOMOTHR     500-501
MOMACTY     502-503
DADGRADE    504-505
DADDIPL     506-507
DADWORK     508-509
DADLEAVE    510-511
```

DADHOURS	512-513
DADLDDK	514-515
DADPUBL	516-517
DADPRIV	518-519
DAEMPL	520-521
DADREL	522-523
DADADS	524-525
DADNTH	526-527
DADOTHR	528-529
DADACTY	530-531
AGE90	532-533
ALLGRADE	538-539
CENSUSOV	542-543
CENSUSRG	544-545
DAEMPLD	546-547
DADLABOR	548-549
FAMTYPE	556-557
MEMEMPLD	563-564
MDMLABOR	565-566
PARGRADE	567-568
PARNTCOL	569-570
PARNTHS	571-572
REGION	583-584
TEENMDM	587-588
URBAN	591-592
/2 EWGT	11-20

(A)

VARIABLE LABEL

LABELS FOR SELECTED VARIABLES

PERSID	"PERS KEY = BASEID 2-DIGIT PERSNUM"
HISPANIC	"S5/S10C/S11 HISPANIC ETHNICITY"
RACE	"S5/S10B/S11 PERSON'S RACE"
GENDER	"S5 PERSON'S GENDER"
NUMPERS	"S17 TOTAL NUMBER OF PEOPLE LIVING IN HH"
HDMETTYPE	"S19 TYPE OF HOME"
OWNHOME	"S20 OWN HOME"
INCOMRNG	"S22A TOTAL HOUSEHOLD INCOME - RANGE"
READTO	"P19/E36 HOW OFTEN READ TO CHILD"
NUMBOOKS	"P20/E35 HOW MANY KIDS BOOKS CHILD HAVE"
NEWSPAPR	"P21/E38 DOES FAMILY GET DAILY NEWSPAPER"
TVHOURS	"P22/E40 HOURS PER DAY WATCHING TV/VIDEO"
RULEWHAT	"P23/E41 ANY RULES ABOUT WHAT PROGRAMS"
RULETIME	"P23/E41 ANY RULES ABOUT HOW EARLY/LATE"
RULEHRS	"P23/E41 ANY RULES ABOUT # HOURS WATCHED"
RULEDAYS	"E41 P23/E41 ANY RULES AB WEEKDAY TV HOUR"
RULEFAM	"P23A FAMILY RULE OR NOT INTERESTED IN TV"
WKREAD	"P24/E44 READ TO CHILD IN PAST WEEK"
WKREADN	"P24/E44 # TIMES READ TO CHILD IN PAST WK"
WKWORDS	"P24 TAUGHT CHILD LETTERS, WORDS, NUMBERS"
WKWORDSN	"P24 # TIMES TAUGHT LETTERS, WORDS, NUMBERS"
WKMUSIC	"P24 TAUGHT CHIL SONGS/MUSIC PAST WEEK"
WKMUSICN	"P24 # TIMES TAUGHT CHILD SONGS/MUSIC"
WKSTORY	"P24 TOLD CHILD A STORY IN PAST WEEK"
WKSTORYN	"P24 # TIMES TOLD CHILD A STORY"
WKSANG	"P24 SANG A SONG WITH CHILD IN PAST WEEK"
WKSANGN	"P24 # TIMES SANG SONG WITH CHILD"
WKCRAFT	"P24/E44 ARTS & CRAFTS W/CHILD PAST WEEK"
WKCRAFTN	"P24/E44 # TIMES ARTS & CRAFTS W/ CHILD"
WKPLAY	"P24/E44 PLAYED GAMES/SPORTS PAST WEEK"
WKPLAYN	"P24/E44 # TIMES PLAYED GAMES/SPORTS"
WKEDTV	"P24/E44 WATCHED EDUC TV W/CHILD LAST WK"
WKEDTVN	"P24/E44 # TIMES WATCHED EDUC TV LAST WK"
LIBRAYMO	"P25/E45 VISITED LIBRARY IN PAST MONTH"
LIBRAYYR	"P25/E45 VISITED LIBRARY IN PAST YEAR"
MOVIEMO	"P25/E45 GONE TO A MOVIE IN PAST MONTH"
MOVIEYR	"P25/E45 GONE TO A MOVIE IN PAST YEAR"
CONCRTMO	"P25/E45 TO PLAY/CONCERT/SHOW PAST MONTH"
CONCRTYR	"P25/E45 TO PLAY/CONCERT/SHOW PAST YEAR"
MUSEUMMO	"P25/E45 VISITED GALLERY/MUSEUM PAST MNTH"
MUSEUMYR	"P25/E45 VISITED GALLERY/MUSEUM PAST YEAR"
ZOOMO	"P25/E45 VISITED ZOO/AQUARIUM PAST MONTH"
ZOORYR	"P25/E45 VISITED ZOO/AQUARIUM PAST YEAR"
PARKMO	"P25/E45 VISITED PLAYGROUND/PARK PAST MTH"
PARKYR	"P25/E45 VISITED PLAYGROUND/PARK PAST YR"
MOMAGE	"C12 CHILDS MOTHERS/FEMALE GUARD'S AGE"
NEWMOM	"C13 AGE WHEN FIRST BECAME MOTHER"
MOMLANG	"C14 FIRST LANGUAGE SPOKEN BY MOTHER"
MOMSPEAK	"C15 LANGUAGE SPOKEN MOST BY MOTHER"
MDMGRADE	"C16 HIGHEST GRADE COMPLETED - MOTHER"

MOMDIPL	"C17 MOTHER - HS DIPLOMA BEFORE VOCATION"
MOMWORK	"C18 MOTHER WORK FOR PAY LAST WEEK"
MOMLEAVE	"C19 MOTHER ON LEAVE OR VACATION LAST WK"
MOMHOURS	"C20 HOURS PER WEEK MOTHER WORKS FOR PAY"
MOMLOOK	"C21 MOTHER LOOKING FOR WORK PAST 4 WEEKS"
MOMPUBL	"C22 MOTHER-PUBLIC EMPLOYMENT AGENCY"
MOMPRIV	"C22 MOTHER-PRIVATE EMPLOYMENT AGENCY"
MOMEMPL	"C22 MOTHER-CHECKED W/ EMPLOYER DIRECTLY"
MOMREL	"C22 MOTHER-CHECKED W/ FRIENDS/RELATIVES"
MOMADS	"C22 MOTHER-PLACED OR ANSWERED ADS"
MOMNOTH	"C22 MOTHER-DID NOTHING TO FIND WORK"
MOMOTHR	"C22 WHAT HAS MOTHER BEEN DOING IN LAST 4"
MOMACTY	"C23 MOTHER'S MAIN ACTIVITY LAST WEEK"
DADGRADE	"C24 HIGHEST GRADE COMPLETED - FATHER"
DADDIPL	"C25 FATHER-HS DIPLOMA BEFORE VOCATION"
DADWORK	"C26 FATHER WORK FOR PAY LAST WEEK"
DADLEAVE	"C27 FATHER ON LEAVE OR VACATION LAST WK"
DADHOURS	"C28 HOURS PER WEEK FATHER WORKS FOR PAY"
DADLOOK	"C29 FATHER LOOKING FOR WORK PAST 4 WEEKS"
DADPUBL	"C30 FATHER-PUBLIC EMPLOYMENT AGENCY"
DADPRIV	"C30 FATHER-PRIVATE EMPLOYMENT AGENCY"
DADEMPL	"C30 FATHER-CHECKED W/ EMPLOYER DIRECTLY"
DADREL	"C30 FATHER-CHECKED W/ FRIENDS/RELATIVES"
DADADS	"C30 FATHER-PLACED OR ANSWERED ADS"
DADNOTH	"C30 FATHER-DID NOTHING TO FIND WORK"
DADOTHR	"C30 WHAT HAS DAD BEEN DOING IN LAST 4 WK"
DADACTY	"C31 FATHER'S MAIN ACTIVITY LAST WEEK"
AGE90	"D: CALCULATED AGE AS OF JAN. 1, 1991(C1)"
ALLGRADE	"D: CHD'S GRADE IN GRDED AND UNGR SCH"
CENSUSDV	"CENSUS DIVISION"
CENSUSRG	"CENSUS REGION"
DADEMPD	"D: WORK STATUS OF FATHER/STEPF/M GUAR"
DADLABOR	"D: FATHER LABOR FORCE PARTICN"
FAMTYPE	"D: ONE/TWO/NO PARENT IN HH"
MOMEMPD	"D: WORK STATUS OF MOTHER/STPEM/F GUAR"
MOMLABOR	"D: MOTHER/STPEM/FGUAR LABOR FORCE PARTICN"
PARGRADE	"D: HIGHEST LEVEL OF PARENTAL EDUCATION"
PARNTCOL	"D: PARENTS COLLEGE EDUCATION"
PARNTHS	"D: PARENTS HIGH SCHOOL EDUCATION"
REGION	"DEPARTMENT OF EDUCATION REGION"
TEENMOM	"D: MOM/GUARD: AGE FIRST BECAME MOTHER"
URBAN	"URBAN/CITY"
EWGT	"FINAL CHILD WEIGHT"

VALUE LABELS
/ HISPANIC

-1 'INAPPLICABLE'
-7 'REFUSED'
-8 'DK'
-9 'NOT ASCERTAINED'
1 'YES'
2 'NO'

/ RACE

-1 'INAPPLICABLE'
-7 'REFUSED'
-8 'DK'
-9 'NOT ASCERTAINED'
1 'WHITE'
2 'BLACK'
3 'NATIVE AMERICAN OR ALASKAN NATIVE'
4 'ASIAN OR PACIFIC ISLANDER'
91 'SOME OTHER RACE'

/ GENDER

-1 'INAPPLICABLE'
-7 'REFUSED'
-8 'DK'
-9 'NOT ASCERTAINED'
F 'FEMALE'
M 'MALE'

/ NUMPERS

-1 'INAPPLICABLE'
-7 'REFUSED'
-8 'DK'
-9 'NOT ASCERTAINED'
0 'BLANKS ALLOWED'

ASSIGNMENT OF VALUE LABELS

/ HOMETYPE
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 0 'BLANKS ALLOWED'
 1 'SINGLE FAMILY HOUSE OR TOWNHOUSE'
 2 'APARTMENT'
 3 'SOME OTHER TYPE OF HOME'

/ OWNHOME
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 0 'BLANKS ALLOWED'
 1 'OWN YOUR HOME'
 2 'RENT YOUR HOME'
 3 'HAVE SOME OTHER ARRANGEMENT'

/ INCOMRNG
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 0 'BLANKS ALLOWED'
 1 '\$5,000 OR LESS'
 10 'OVER \$75,000'
 2 '\$5,001 TO \$10,000'
 3 '\$10,001 TO \$15,000'
 4 '\$15,001 TO \$20,000'
 5 '\$20,001 TO \$25,000'
 6 '\$25,001 TO \$30,000'
 7 '\$30,001 TO \$40,000'
 8 '\$40,001 TO \$50,000'
 9 '\$50,001 TO \$75,000'

/ READTO
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'NEVER'
 2 'SEVERAL TIMES A YEAR'
 3 'SEVERAL TIMES A MONTH'
 4 'AT LEAST THREE TIMES A WEEK'
 5 'EVERY DAY'

/ NUMBOOKS
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'NONE'
 2 '1 OR 2 BOOKS'
 3 '3 TO 9 BOOKS'
 4 '10 OR MORE BOOKS'

/ NEWSPAPR
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ TVHOURS
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 95 'DO NOT HAVE A TV'
 96 'LESS THAN ONE HOUR PER DAY'

/ RULEWHAT
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ RULETIME
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

BEST COPY AVAILABLE

/ RULEHRS
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ RULEDAYS
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ RULEFAM
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'FAMILY RULE'
 2 'NOT INTERESTED'
 95 "DON'T HAVE TELEVISION"

/ WKREAD
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ WKREADN
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 '1-2 TIMES'
 2 '3+ TIMES'

/ WKWORDS
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ WKWORDSND
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 '1-2 TIMES'
 2 '3+ TIMES'

/ WKMUSIC
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ WKMUSICN
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 '1-2 TIMES'
 2 '3+ TIMES'

/ WKSTORY
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ WKSTORYN
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 '1-2 TIMES'
 2 '3+ TIMES'

/ WKSANG
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ WKSANGN
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 '1-2 TIMES'
 2 '3+ TIMES'

/ WKCRAFT
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ WKCRAFTN
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 '1-2 TIMES'
 2 '3+ TIMES'

/ WKPLAY
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ WKPLAYN
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 '1-2 TIMES'
 2 '3+ TIMES'

/ WKEDTV
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ WKEDTVN
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 '1-2 TIMES'
 2 '3+ TIMES'

/ LIBRAYMO
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ LIBRAYYR
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ MOVIEMO
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/	MOVIEYR	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	CONCRTMO	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	CONCRTYR	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	MUSEUMMO	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	MUSEUMYR	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	ZOOMO	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	ZOYR	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	PARKMO	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	PARKYR	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	MOMAGE	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
/	NEWMOM	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'

/ MOMLANG
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'ENGLISH'
 2 'SPANISH'
 3 'ASIAN LANGUAGE'
 91 'OTHER LANGUAGE'

/ MOMSPEAK
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'ENGLISH'
 2 'SPANISH'
 3 'ASIAN LANGUAGE'
 4 'OTHER LANGUAGE'

/ MOMGRADE
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'UP TO EIGHTH GRADE'
 2 'NINTH TO ELEVENTH GRADE'
 3 'HIGH SCHOOL DIPLOMA OR EQUIVALENT'
 4 'VOCATIONAL/TECHNICAL AFTER HIGH SCHOOL'
 5 '1-2 YEARS OF COLLEGE'
 6 'ASSOCIATE'S DEGREE'
 7 '3-4 YEARS OF COLLEGE'
 8 'BACHELOR'S DEGREE'
 9 'GRADUATE OR PROFESSIONAL SCHOOL'

/ MOMDIPL
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ MOMWORK
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ MOMLEAVE
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ MOMHOURS
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'

/ MOMLOOK
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ MOMPUBL
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ MOMPRIV
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

BEST COPY AVAILABLE

/ MOMEMPL
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ MOMREL
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ MOMADS
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ MOMNOTH
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ MOMOTHR
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ MOMACTY
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'KEEPING HOUSE/CARING FOR CHILDREN'
 2 'GOING TO SCHOOL'
 3 'RETIRED'
 4 'UNABLE TO WORK'
 91 'OTHER (SPECIFY)'

/ DADGRADE
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'UP TO EIGHTH GRADE'
 2 'NINTH TO ELEVENTH GRADE'
 3 'HIGH SCHOOL DIPLOMA OR EQUIVALENT'
 4 'VOCATIONAL/TECHNICAL AFTER HIGH SCHOOL'
 5 '1-2 YEARS OF COLLEGE'
 6 'ASSOCIATE'S DEGREE'
 7 '3-4 YEARS OF COLLEGE'
 8 'BACHELOR'S DEGREE'
 9 'GRADUATE OR PROFESSIONAL SCHOOL'

/ DADDIPL
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ DADWORK
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/ DADLEAVE
 -1 'INAPPLICABLE'
 -7 'REFUSED'
 -8 'DK'
 -9 'NOT ASCERTAINED'
 1 'YES'
 2 'NO'

/	DADHOURS	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
/	DADLOOK	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	DADPUBL	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	DADPRIV	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	DADEMP	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	DADREL	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	DADADS	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	DADNOTH	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	DADOTHR	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'YES'
		2 'NO'
/	DADACTY	-1 'INAPPLICABLE'
		-7 'REFUSED'
		-8 'DK'
		-9 'NOT ASCERTAINED'
		1 'KEEPING HOUSE/CARING FOR CHILDREN'
		2 'GOING TO SCHOOL'
		3 'RETIRED'
		4 'UNABLE TO WORK'
		91 'OTHER (SPECIFY)'
/	AGE90	-1 'INAPPLICABLE'

/ ALLGRADE
 0 'NOT ENROLLED'
 1 'FIRST GRADE/EQUIV'
 2 'SECOND GRADE/EQUIV'
 3 'THIRD GRADE/EQUIV'
 4 'FOURTH GRADE/EQUIV'
 5 'FIFTH GRADE/EQUIV'
 6 'UNGRADED & NO EQUIV'
 K 'KINDERGARTEN'
 N 'NURSERY, PREK, HDST'
 P 'PRE-FIRST/TRANS 1ST'
 T 'TRANS KINDERGARTN'
 / CENSUSDV
 -1 'INAPPLICABLE'
 1 'NEW ENGLAND'
 2 'MIDDLE ATLANTIC'
 3 'EAST NORTH CENTRAL'
 4 'WEST NORTH CENTRAL'
 5 'SOUTH ATLANTIC'
 6 'EAST SOUTH CENTRAL'
 7 'WEST SOUTH CENTRAL'
 8 'MOUNTAIN'
 9 'PACIFIC'
 / CENSUSRG
 -1 'INAPPLICABLE'
 1 'NORTHEAST'
 2 'MIDWEST'
 3 'SOUTH'
 4 'WEST'
 / DAEMPLD
 1 '=> 35 HRS P/WEEK'
 2 '< 35 HRS P/WEEK'
 3 'HRS N/SPECIFIED'
 4 'LOOKING F/WORK'
 5 'N/IN LABOR FORCE'
 / DADLABOR
 1 'EMP-IN LBR FORCE'
 2 'UNEMP-IN LBR FORCE'
 3 'KEEP HOUS/CHILD CARE'
 4 'GOING TO SCHOOL'
 5 'RETIRED/UNABLE WORK'
 6 'OTHER'
 / FAMTYPE
 1 '1 PARENT IN HH'
 2 '2 PARENTS IN HH'
 3 '3 NO PARENTS IN HH'
 / MOMEMPLD
 1 '=> 35 HRS P/WEEK'
 2 '< 35 HRS P/WEEK'
 3 'HRS N/SPECIFIED'
 4 'LOOKING F/WORK'
 5 'N/IN LABOR FORCE'
 / MOMLABOR
 1 'EMP-IN LBR FORCE'
 2 'UNEMP-IN LBR FORCE'
 3 'KEEP HOUS/CHILD CARE'
 4 'GOING TO SCHOOL'
 5 'RETIRED/UNABLE WORK'
 6 'OTHER'
 / PARGRADE
 1 'LESS THAN H/S'
 2 'H/S GRAD/EQUIVALENT'
 3 'VOC/TECH/SOME COLL'
 4 'COLLEGE GRADUATE'
 5 'GRADUATE/PROF SCHOOL'
 9 'NEITHER PARENT IN HH'
 / PARNTCOL
 1 'SINGLE/BOTH <COL'
 2 '1 <COL, 1 COL DEG'
 3 'SINGLE/BOTH COL DEG'
 / PARNTHS
 1 'SINGLE/BOTH <H/S'
 2 '1 <H/S, 1 H/S DEG'
 3 'SINGLE/BOTH H/S DEG'
 / REGION
 -1 'INAPPLICABLE'
 -9 'NOT ASCERTAINED'
 1 'NORTHEAST'
 2 'CENTRAL'
 3 'SOUTHEAST'
 4 'WEST'

```

/   TEENMOM
      1 '17 OR YOUNGER'
      2 'AGE 18 OR 19'
      3 'AGE 20 OR OLDER'

/   URBAN
      -1 'INAPPLICABLE'
      -9 'NOT ASCERTAINED'
      0 'NON'
      1 'MSA'
      2 'NECMA'

```

SELECT IF ((AGE90 LE 5)).

**SELECTS 3- TO 5-YEAR OLDS, AS WAS SPECIFIED
IN THE EXTRACT CRITERIA IN THE ECB PROGRAM**

SAVE OUTFILE='C:\ECB\WORK\EXTRACT.SYS'.

ASSIGN NAME OF ANALYSIS FILE (DEFAULT IS "EXTRACT")

DISPLAY DICTIONARY.

CONTENTS OF ANALYSIS FILE

* Frequencies /VARIABLES=

UNWEIGHTED FREQS OF CATEGORICAL VARIABLES
(insert the WEIGHT command above for weighted frequencies)

HISPANIC	RACE	GENDER	HOMETYPE	OWNHOME	INCOMRNG	READTO
NUMBOOKS	NEWSPAPR	RULEWHAT	RULETIME	RULEHRS	RULEDAYS	RULEFAM
WKREAD	WKREADN	WKWORDS	WKWORDSN	WKMUSIC	WKMUSICN	WKSTORY
WKSTORYN	WKSANG	WKSANGN	WKCRAFT	WKCRAFTN	WKPLAY	WKPLAYN
WKEDTV	WKEDTVN	LIBRAYMO	LIBRAYYR	MOVIEMO	MOVIEYR	CONCRTMO
CONCRTYR	MUSEUMMO	MUSEUMYR	ZOOMO	ZOOYR	PARKMO	PARKYR
MOMLANG	MOMSPEAK	MOMGRADE	MOMDIPL	MOMWORK	MOMLEAVE	MOMHOURS
MOMLOOK	MOMPUBL	MOMPRIV	MOMEMPL	MOMREL	MOMADS	MOMNOTH
MOMOTHR	MOMACTY	DADGRADE	DADDIPL	DADWORK	DADLEAVE	DADLOOK
DADPUBL	DADPRIV	DADEMPL	DADREL	DADADS	DADNOTH	DADOTHR
DADACTY	AGE90	ALLGRADE	CENSUSDV	CENSUSRG	DADEMPLD	DADLABOR
FAMTYPE	MOMEMPLD	MOMLABOR	PARGRADE	PARNTCOL	PARNTHS	REGION
TEENMOM	URBAN					

/MISSING=INCLUDE.

* Descriptives VARIABLES=

UNWEIGHTED DESCRIPTIVE STATISTICS OF CONTINUOUS VARIABLES
(insert the WEIGHT command above for weighted estimates)

NUMPERS TVHOURS MOMAGE NEWMOM DADHOURS EWGT.

Appendix G: Configuring the ECB Directories

You may customize the names of the directories where the ECB program looks for its files by selecting the Setup option in the Utilities menu. However, the ECB program will not move the files or change their directory names, so you will have to do this yourself.

Select Utilities/Setup. The screen will look like the following:

The ECB setup window

Utilities TagList Show Varlist Extract Windows Help Quit 17:19:16

TEMP	NAME	TAG	VARIABLE LIST	LABEL
1	[.]		CONFIGURE	
2				
3				
4				
5				
6				
7				
8				

Data Directory: D:\

Program Directory: C:\ECB\

Working Directory: C:\ECB\WORK\

Ok Cancel

TEMP	NAME	TAG	VARIABLE LIST	LABEL
1	TAGGED			
2				
3				
4				
5				
6				
7				
8				

WEIGH5	✓	C8 WEIGH MORE THAN 5 1/2 LBS AT BIRTH
WEIGH3	✓	C9 WEIGH MORE THAN 3 LBS AT BIRTH

F1:Help Alt-F3:CloseWindow F10:Menu Alt-X:Exit

Example: Changing the Directory for the NHES:91/93/95 Data Files

Reading data from a compact disc can take significantly longer than reading the same data from a conventional hard disk drive. However, the data files can be quite large. For NHES:91/93/95, the data files take up 275 megabytes of storage space.

If you have the hard disk storage available, you can copy the data files from the compact disc to the hard drive and SETUP the ECB program to look there for them.

1. Copy the data files you wish to analyze from the CD-ROM drive to your new directory.

The data files are named as follows:

91ADULT.DAT
COURSE.DAT
PRIMARY.DAT
PREPRIM.DAT
SAFETY.DAT
READINES.DAT
95ADULT.DAT
ECPP.DAT

2. Start the ECB program.
3. Select the Utilities/Setup menu choice.
4. In the "Data Directory" section, change the **D:** so that it points to the new directory name.

The ECB program will now write out SAS, SPSS for DOS, and SPSS for Windows code that looks for the data files in the new directory name.

United States
Department of Education
Washington, DC 20208-5651

Postage and Fees Paid
U.S. Department of Education
Permit No. G-17

Standard Mail

Official Business
Penalty for Private Use, \$300





U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement (OERI)
Educational Resources Information Center (ERIC)



NOTICE

REPRODUCTION BASIS

☐

This document is covered by a signed "Reproduction Release (Blanket)" form (on file within the ERIC system), encompassing all or classes of documents from its source organization and, therefore, does not require a "Specific Document" Release form.



This document is Federally-funded, or carries its own permission to reproduce, or is otherwise in the public domain and, therefore, may be reproduced by ERIC without a signed Reproduction Release form (either "Specific Document" or "Blanket").